

Printing date 14.05.2013 Revision: 28.02.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: DAKORIT Bituflex Winter 26B

· Article number: 50224 B

· Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation

Elastic bitumen rubber sealing paint for sealing old bitumen and fibre cement roof sealing, usable up to -5 °C

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Heinrich Hahne GmbH & Co. KG

Heinrich-Hahne-Weg 11

45711 Datteln

Tel.:02363/5663-0

· Further information obtainable from:

Abteilung: Produktsicherheit

Tel.: 02363 5663-0

EMail: info@hahne-bautenschutz.de

· Emergency telephone number:

Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,

Tel.: 0551-19240

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

Safety data sheet available on request.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

GISCODE: BBP 10

- · Special labelling of certain preparations: Safety data sheet available on request.
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Preparation based on a bituminous emulsion-filled.

· Dangerous components:				
CAS: 107-21-1	ethane-1,2-diol	★ Xn R22	1.0 - 2.5%	
EINECS: 203-473-3				
CAS: 64-17-5	ethanol	▶ F R11	1.0 - 2.5%	
EINECS: 200-578-6		🏇 Flam. Liq. 2, H225		

(Contd. on page 2)



Printing date 14.05.2013 Revision: 28.02.2013

Trade name: DAKORIT Bituflex Winter 26B

(Contd. of page 1)

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Keep container tightly closed.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep away from heat and direct sunlight.

Protect from temperatures below -5 °C.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 3)



Printing date 14.05.2013 Revision: 28.02.2013

Trade name: DAKORIT Bituflex Winter 26B

(Contd. of page 2)

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

64-17-5 ethanol (2.5-10%) WEL | Long-term value: 1920 mg/m³, 1000 ppm 107-21-1 ethane-1,2-diol (< 2.5%) WEL | Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of PVC, rubber, nitrile rubber

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: When spraying or pouring goggles.
- · **Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties			
· General Information · Appearance:			
Form:	Pasty		
Colour:	Dark brown		
· Odour:	characteristic		
· pH-value at 20°C:	10		
· Change in condition Melting point/Melting range. Boiling point/Boiling range:			
· Flash point:	Not applicable.		
· Self-igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Density at 20°C:	1.1 g/cm³		

(Contd. on page 4)



Printing date 14.05.2013 Revision: 28.02.2013

Trade name: DAKORIT Bituflex Winter 26B

(Contd. of page 3)

· Solubility in / Miscibility with

water: Soluble.

· Viscosity:

Dynamic at 20°C: 16000 mPas

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Slight irritation possible.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

GB



Printing date 14.05.2013 Revision: 28.02.2013

Trade name: DAKORIT Bituflex Winter 26B

(Contd. of page 4)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· European waste catalogue

17 03 02 bituminous mixtures other than those mentioned in 17 03 01

- · Uncleaned packaging:
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· UN-Number · ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	: II of Not applicable.	
· Transport/Additional information:	Not hazardous under transport regulations	

15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$
- · National regulations:
- · Technical instructions (air):

Class	Share in %
III	4.5

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · VOC (EU) 38.5 g/l
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u> 16 Other information</u>

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 6)



Printing date 14.05.2013 Revision: 28.02.2013

Trade name: DAKORIT Bituflex Winter 26B

(Contd. of page 5)

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

R11 Highly flammable.

R22 Harmful if swallowed.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GB