

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** DAKORIT DI 30B
- **Article number:** 50502 C
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**  
Roof coating and insulation coating with bitumen base, solvent-containing
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Heinrich Hahne GmbH & Co. KG  
Heinrich-Hahne-Weg 11  
45711 Datteln
- Tel.: 02363/5663-0
- **Further information obtainable from:**  
Abteilung: Produktsicherheit  
Tel.: 02363 5663-0  
EMail: info@hahne-bautenschutz.de
- **Emergency telephone number:**  
Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,  
Tel.: 0551-19240

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3      H226 Flammable liquid and vapour.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Hazard description:** N Dangerous for the environment
- **Information concerning particular hazards for human and environment:**  
R 10 Flammable.  
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects  
in the aquatic environment.  
R 67 Vapours may cause drowsiness and dizziness.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.  
GISCODE: BBP 30

(Contd. on page 2)

**Trade name: DAKORIT DI 30B**

(Contd. of page 1)

· **Code letter and hazard designation of product:**



N Dangerous for the environment

· **Risk phrases:**

- 10 Flammable.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition - No smoking.
- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 33 Take precautionary measures against static discharges.
- 36/37 Wear suitable protective clothing and gloves.
- 46 If swallowed, seek medical advice immediately and show this container or label.

· **Other hazards**





· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** solvent-based bitumen paint

· **Dangerous components:**

CAS: 64742-47-8	Distillates (petroleum), hydrotreated light	25-50%
EINECS: 265-149-8	 Xn R65;  N R51/53 R10-66-67	
	 Flam. Liq. 3, H226;  Aquatic Chronic 2, H411	

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

· **Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

GB

(Contd. on page 3)

**Trade name: DAKORIT DI 30B**

(Contd. of page 2)

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:**  
No special measures required.  
Wear full protective clothing.
- **Additional information**  
Fire and explosion do not breathe fumes.  
Exposed containers with water spray.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Keep spectators away.  
Ensure adequate ventilation.  
Sources of ignition.  
Vapors are heavier than air and spread along ground. Inflammation over long Distances possible.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Ensure good interior ventilation, especially at floor level.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
No special requirements.  
Only in unopened original container.  
Keep away from heat and direct sunlight.
- **Information about storage in one common storage facility:**  
Not required.  
Keep away from food, drink and animal feed hold.

(Contd. on page 4)

**Trade name: DAKORIT DI 30B**

(Contd. of page 3)

- **Further information about storage conditions:**  
Keep container tightly sealed.  
Keep containers tightly closed, cool and dry place.
- **Storage class:** LGK (VCI-concept): 3A - Flammable Liquids.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**8052-42-4 Asphalt (50-100%)**

WEL	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup>
-----	--

**64742-47-8 Distillates (petroleum), hydrotreated light (25-50%)**

	300 mg/m <sup>3</sup> TWA (RCP method)
--	--

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:**  
The room ventilation is not required. If ventilation is insufficient self-contained breathing apparatus.
- **Protection of hands:**  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Protective gloves made of nitrile rubber or fluoro rubber (Viton).
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
480 min (nitrile rubber), 480 min (Viton)
- **Eye protection:** Safety glasses recommended.
- **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Viscous
<b>Colour:</b>	Black
<b>Odour:</b>	Solvent-like
<b>Odour threshold:</b>	Not determined.

(Contd. on page 5)

Trade name: **DAKORIT DI 30B**

(Contd. of page 4)

· <b>pH-value:</b>	n.a.
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	-15°C
<b>Boiling point/Boiling range:</b>	153°C
· <b>Flash point:</b>	41°C
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	210°C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible. Formation of explosive air / vapor mixtures are possible
· <b>Explosion limits:</b>	
<b>Lower:</b>	0.3 Vol %
<b>Upper:</b>	6.5 Vol %
· <b>Vapour pressure at 20°C:</b>	2 hPa
· <b>Density at 20°C:</b>	0.92 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Segregation coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic at 20°C:</b>	120 s (DIN 53211/4)
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	25-50 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** removes fat on the skin

(Contd. on page 6)

Printing date 23.05.2013

Revision: 23.05.2013

Trade name: **DAKORIT DI 30B**

(Contd. of page 5)

- **on the eye:** Irritability
- **Sensitization:** No sensitizing effects known.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

17 03 02	bituminous mixtures other than those mentioned in 17 03 01
----------	--

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                  |  |
|----------------------------------|--|
| · <b>UN-Number</b>               | UN1139   |
| · <b>ADR, IMDG, IATA</b>         |  |
| · <b>UN proper shipping name</b> | 1139 COATING SOLUTION (not viscous), ENVIRONMENTALLY HAZARDOUS                   |
| · <b>ADR</b>                     | COATING SOLUTION (Distillates (petroleum), hydrotreated light), MARINE POLLUTANT |
| · <b>IMDG</b>                    |  |
| · <b>IATA</b>                    | COATING SOLUTION   |

(Contd. on page 7)

GB

Trade name: **DAKORIT DI 30B**

(Contd. of page 6)

· **Transport hazard class(es)**· **ADR, IMDG**

· **Class** 3 Flammable liquids.  
· **Label** 3

· **IATA**

· **Class** 3 Flammable liquids.  
· **Label** 3

· **Packing group**· **ADR, IMDG, IATA** III

· **Environmental hazards:** Product contains environmentally hazardous substances:  
Distillates (petroleum), hydrotreated light

· **Marine pollutant:** Symbol (fish and tree)

· **Special marking (ADR):** Symbol (fish and tree)

· **Special precautions for user** Warning: Flammable liquids.

· **Danger code (Kemler):** 30

· **EMS Number:** F-E,S-E

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**· **ADR**

· **Tunnel restriction code** D/E

· **UN "Model Regulation":** UN1139, COATING SOLUTION (not viscous), ENVIRONMENTALLY HAZARDOUS, 3, III

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials, Annex II:**  
No flammable liquid according to the Regulations for flammable liquids (VfB)

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

VOC (EU) gem. Directive 2004/42/EC: cat A / i, max. 320 g / l

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 8)

Printing date 23.05.2013

Revision: 23.05.2013

**Trade name: DAKORIT DI 30B**

(Contd. of page 7)

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

*H226 Flammable liquid and vapour.*

*H411 Toxic to aquatic life with long lasting effects.*

*R10 Flammable.*

*R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

*R65 Harmful: may cause lung damage if swallowed.*

*R66 Repeated exposure may cause skin dryness or cracking.*

*R67 Vapours may cause drowsiness and dizziness.*

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organization*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonized System of Classification and Labelling of Chemicals*

GB