Safety data sheet according to 1907/2006/EC, Article 31



Printing date 14.05.2013

Revision: 27.03.2013

Identification of the substance/mixture and of the company/undertak	ng
Product identifier	
Trade name: <u>DAKORIT SPM 40B</u>	
Article number: 50101 B Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Putty for universal use, solvent-contai	ning
Details of the supplier of the safety data sheet Manufacturer/Supplier: Heinrich Hahne GmbH & Co. KG Heinrich-Hahne-Weg 11 45711 Datteln	Tel.:02363/5663-
Further information obtainable from: Abteilung: Produktsicherheit Tel.: 02363 5663-0 EMail: info@hahne-bautenschutz.de Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen, Tel.: 0551-19240	
Hazards identification Classification of the substance or mixture	
$\mathbf{\vee}$	
Flam. Liq. 3H226 Flammable liquid and vapour.Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.	
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: R 10 Flammable.	
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: R 10 Flammable. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 67 Vapours may cause drowsiness and dizziness. 	
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: R 10 Flammable. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 	company and literatur
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: R 10 Flammable. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 67 Vapours may cause drowsiness and dizziness. Classification system: The classification is according to the latest editions of the EU-lists, and extended by 	company and literatur
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: R 10 Flammable. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 67 Vapours may cause drowsiness and dizziness. Classification system: The classification is according to the latest editions of the EU-lists, and extended by data. 	
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: R 10 Flammable. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 67 Vapours may cause drowsiness and dizziness. Classification system: The classification is according to the latest editions of the EU-lists, and extended by data. Label elements Label elements Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / C Materials. GISCODE: BBP 20 Risk phrases: 10 Flammable. 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic organisms, may cause long-term adverse effects in the aquatic and marked in accordance with EU Directives / C Materials. 	
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Information concerning particular hazards for human and environment: R 10 Flammable. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 67 Vapours may cause drowsiness and dizziness. Classification system: The classification is according to the latest editions of the EU-lists, and extended by data. Label elements Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / C Materials. GISCODE: BBP 20 Risk phrases: 10 Flammable. 52/53 Harmful to aquatic organisms, may cause long-term adverse effects 	

Safety data sheet according to 1907/2006/EC, Article 31



Revision: 27.03.2013

(Contd. of page 1)

Printing date 14.05.2013

Trade name: DAKORIT SPM 40B

- 33 Take precautionary measures against static discharges.
- 36/37 Wear suitable protective clothing and gloves.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Fiber bitumen compound, solvent

· Dangerous components:

· ·		
CAS: 64742-47-8	Distillates (petroleum), hydrotreated light	10-25%
EINECS: 265-149-8	🗙 Xn R65; 🏪 N R51/53	
	R10-66-67	
	🚸 Flam. Liq. 3, H226; 🚸 Aquatic Chronic 2, H411	
· Additional informat	on: For the wording of the listed risk phrases refer to section 16.	

4 First aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture Carbon monoxide (CO)
- Advice for firefighters
- · Protective equipment: Explosion and fire do not breathe fumes.
- · Additional information Exposed containers with water spray.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Sources of ignition.
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 14.05.2013

Revision: 27.03.2013

(Contd. of page 2)

Trade name: DAKORIT SPM 40B

Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents • Reference to other sections

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Good ventilation even at ground level (vapors are heavier than air).
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Keep only in original container. Prevent penetration into the ground. Store in a cool place.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

```
· Ingredients with limit values that require monitoring at the workplace:
```

- 8052-42-4 Asphalt (25-50%)
- WEL Short-term value: 10 mg/m³

Long-term value: 5 mg/m³

64742-47-8 Distillates (petroleum), hydrotreated light (10-<25%)

AGW 300 mg/m3 (RCP-Methode)

· Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection:

The room ventilation is not required, add in heavy or prolonged exposure use respiratory filter device.

- · Protection of hands:
- Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the (Contd. on page 4)

- GB

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 14.05.2013

Trade name: DAKORIT SPM 40B

Revision: 27.03.2013

(Contd. of page 3)

aae name: DAKORII SPM 40

application.

Solvent-resistant gloves made of nitrile rubber or fluoro rubber (Viton).

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

480 min (nitrile rubber), 480 min (Viton)

• Eye protection: Safety glasses wear.

· Body protection: Protective work clothing.

Information on basic physica General Information	l and chemical properties
Appearance:	_
Form:	Pasty
Colour:	Black
Odour:	Solvent-like
Change in condition	
Melting point/Melting range	e: Undetermined.
Boiling point/Boiling range	: 145-200°C
Flash point:	41°C
Ignition temperature:	210°C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	0.3 Vol %
Upper:	6.5 Vol %
Vapour pressure at 20°C:	2 hPa
Density at 20°C:	1.15 g/cm ³
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2013

Trade name: DAKORIT SPM 40B

(Contd. of page 4)

Revision: 27.03.2013

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: removes fat on the skin.
- on the eye: Irritability
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:
- Harmful to aquatic organisms
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- 17 03 02 bituminous mixtures other than those mentioned in 17 03 01
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR	Void	
ADN, IMDG, IATA	Void	



Safety data sheet according to 1907/2006/EC, Article 31



Printing date 14.05.2013

Revision: 27.03.2013

Trade name: DAKORIT SPM 40B

		(Contd. of page 2
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	-	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H411 Toxic to aquatic life with long lasting effects.

R10 Flammable.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- *R65 Harmful: may cause lung damage if swallowed.*
- *R66 Repeated exposure may cause skin dryness or cracking.*
- *R67* Vapours may cause drowsiness and dizziness.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals