

Printing date 05.06.2013 Revision: 05.06.2013

### I Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: HADALAN DS61 13P, Komp. B

· Article number: 50213 B

· Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation

Flexible waterproofing for mineral and ceramic substrates, component B

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Heinrich Hahne GmbH & Co. KG

Heinrich-Hahne-Weg 11

45711 Datteln

Tel.:02363/5663-0

· Further information obtainable from:

Abteilung: Produktsicherheit

Tel.: 02363 5663-0

EMail: info@hahne-bautenschutz.de

· Emergency telephone number:

Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,

Tel.: 0551-19240

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



H319 Causes serious eye irritation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- · Hazard description:

Xn Harmful

N Dangerous for the environment

· Information concerning particular hazards for human and environment:

Irritating to eyes.

R 48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)



Printing date 05.06.2013 Revision: 05.06.2013

Trade name: HADALAN DS61 13P, Komp. B

(Contd. of page 1)

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:





Xn Harmful

N Dangerous for the environment

- · Hazard-determining components of labelling: diethylmethylbenzenediamine
- · Risk phrases:
- 36 Irritating to eyes.
- 48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Safety phrases:
- 24/25 Avoid contact with skin and eyes.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of water.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Aromatic amine mixture

· Dangerous components:			
CAS: 68479-98-1	diethylmethylbenzenediamine	10 - 25%	
EINECS: 270-877-4	<b>X</b> n R21/22-48/22; <b>X</b> i R36; <b>№</b> N R50/53		
	STOT RE 2, H373; Aquatic Acute 1; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319		
CAS: 108-32-7	propylene carbonate	2.5-10%	
EINECS: 203-572-1	<b>★</b> Xi R36		

· Additional information: For the wording of the listed risk phrases refer to section 16.

C



Printing date 05.06.2013 Revision: 05.06.2013

Trade name: HADALAN DS61 13P, Komp. B

(Contd. of page 2)

#### 4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:

Exposure through skin and eye contact. Symptoms: weak eye irritation (redness, lacrimation) possible. Prolonged exposure burning and redness of the skin. Decontamination, symptomatic treatment.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

*Use fire extinguishing methods suitable to surrounding conditions.* 

Fight larger fires with water spray, dry powder, foam or CO2.

· Special hazards arising from the substance or mixture

Possible case of fire, CO2, CO, SO2, and phenols.

Prevent material from entering drains. Not yet affected by fire cool product and containers with water spray.

- · Advice for firefighters
- · Protective equipment: Use self contained breathing apparatus.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected people away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Clean floor area with exit / discharge of larger quantities.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Avoid direct contact with eyes, skin or clothing.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool, dry place.
- · Information about storage in one common storage facility:

Keep away from foodstuffs, beverages, acids and alkalis.

(Contd. on page 4)



Printing date 05.06.2013 Revision: 05.06.2013

Trade name: HADALAN DS61 13P, Komp. B

(Contd. of page 3)

- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- $\cdot \textit{Respiratory protection:} \ In \ in a dequately \ ventilated \ workplaces \ require \ respiratory \ protection.$
- · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Use protective gloves made of nitrile or butyl rubber.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Colour: dark brown to amber

· Odour: by amines

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: 199°C

• Ignition temperature: 370°C

· Self-igniting: Product is not selfigniting.

(Contd. on page 5)



Printing date 05.06.2013 Revision: 05.06.2013

Trade name: HADALAN DS61 13P, Komp. B

Danger of explosion: Product does not present an explosion hazard.

Density at 20°C: 1.02 g/cm³

Solubility in / Miscibility with water: Not miscible or difficult to mix.
Other information No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

Incomplete combustion of carbon monoxide, nitrogen oxides, SO2, phenols.

- · Possibility of hazardous reactions Alkaline reaction.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong acids, strong bases.
- · Hazardous decomposition products:

No dangerous decomposition products known.

In combustion emits toxic fumes of carbon monoxide, carbon dioxide.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritating effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Other information (about experimental toxicology):

Diethylmethylbenzendiamine: ORL RAT LD50: 472 mg/kg

propylene carbonate:

ORL MUS LD50: 20700 mg / kg ORL RAT LD50: 29.1 mg / kg

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 6)



Printing date 05.06.2013 Revision: 05.06.2013

Trade name: HADALAN DS61 13P, Komp. B

(Contd. of page 5)

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

01 01 01 wastes from mineral metalliferous excavation

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	-	
UN proper shipping name	-	
Transport hazard class(es)	-	
Packing group	-	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	5.0

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · **VOC** (**EU**) 51.0 g/l
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

(Contd. on page 7)



Printing date 05.06.2013 Revision: 05.06.2013

Trade name: HADALAN DS61 13P, Komp. B

		(Contd. of page
H312	Harmful in contact with skin.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H410	Very toxic to aquatic life with long lasting effects.	
R21/2	2 Harmful in contact with skin and if swallowed.	
R36	Irritating to eyes.	
	2 Harmful: danger of serious damage to health by prolonged exposure if swallowed.	
	B Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	c environment.
	viations and acronyms:	
	lobally Harmonized System of Classification and Labelling of Chemicals	

GR