

Printing date 05.06.2013

Revision: 05.06.2013

• Article number: 50132 C • Relevant identified uses of the substance or mixture and uses advised against	
 Trade name: <u>HADALAN E-DS 54Z, Pulver</u> Article number: 50132 C Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Hairling analybridging agamentitions conting for waterproof conting of control 	
· Relevant identified uses of the substance or mixture and uses advised against · Application of the substance / the preparation	
powder component	ete, plaster and masonry
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Heinrich Hahne GmbH & Co. KG Heinrich-Hahne-Weg 11 45711 Datteln	Tel.:02363/5663-
 Further information obtainable from: Abteilung: Produktsicherheit Tel.: 02363 5663-0 EMail: info@hahne-bautenschutz.de Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen, Tel.: 0551-19240 	
2 Hazards identification • Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008	
GHS05 corrosion	
Eye Dam. 1 H318 Causes serious eye damage. GHS07	
Acute Tox. 4 H332 Harmful if inhaled.	
Skin Irrit. 2 H315 Causes skin irritation.	
STOT SE 3 H335 May cause respiratory irritation.	
· Classification according to Directive 67/548/EEC or Directive 1999/45/EC	
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Hazard description: Xi Irritant Information concerning particular hazards for human and environment: R 37/38 Irritating to respiratory system and skin. R 41 Risk of serious damage to eyes. 	
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Hazard description: Xi Irritant Information concerning particular hazards for human and environment: R 37/38 Irritating to respiratory system and skin. 	by company and literatur
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Hazard description: Xi Irritant Information concerning particular hazards for human and environment: R 37/38 Irritating to respiratory system and skin. R 41 Risk of serious damage to eyes. Classification system: The classification is according to the latest editions of the EU-lists, and extended 	by company and literatur

Printing date 05.06.2013

Revision: 05.06.2013

Trade name: HADALAN E-DS 54Z, Pulver

(Contd. of page 1)

· Code letter and hazard designation of product: Xi Irritant · Hazard-determining components of labelling: Cement, portland, chemicals · Risk phrases: 37/38 Irritating to respiratory system and skin. 41 Risk of serious damage to eyes. · Safety phrases: Do not breathe dust. 22 24/25 Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of 26 water and seek medical advice. 36/37/39 Wear suitable protective clothing, gloves and eye/face protection. · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: cementitious powder reaction

· Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals EINECS: 266-043-4 🗙 Xi R37/38-41 📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335

4 First aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air and to be sure call for a doctor.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:

not applicable, product is not flammable

Fighting measures that are appropriate for the location.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3) GB

25-50%



Printing date 05.06.2013

hahne Bautenschutz Svsteme

Revision: 05.06.2013

Trade name: HADALAN E-DS 54Z, Pulver

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Avoid exposure to skin and eyes.
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ surface or ground water.$
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Prevent formation of dust.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Store in dry conditions.

Protect against ingress of water and moisture.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

- 65997-15-1 Cement, portland, chemicals (25-50%)
- WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

14808-60-7 Quartz (SiO2) (50-100%)

WEL 0.15 A mg/m³


24; (DFG)

· Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- **Respiratory protection:** Wear a dust mask if dust is generated.

Leaflet ZH 1/134 BG

(Contd. on page 4)



Printing date 05.06.2013

Revision: 05.06.2013

hah

Trade name: HADALAN E-DS 54Z, Pulver

(Contd. of page 3)

Bautenschutz System

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Leaflet ZH 1/134 main dealer association d. BG

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of rubber, butyl rubber, nitrile rubber.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Leaflet ZH 1/134 main dealer association d. BG The transfer and splashes tight fitting goggles.

9 Physical and chemical properties

• Information on basic physical of • General Information	and chemical properties
· Appearance:	
Form:	Solid
Colour:	Grey
· Odour:	Odourless
• pH-value (100 g/l) at 20°C:	11-13
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with	
water:	Insoluble.
• Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

Printing date 05.06.2013



Revision: 05.06.2013

Trade name: HADALAN E-DS 54Z, Pulver

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: As long as the expiration date is exceeded, is not expected to have a sensitizing effect.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- 17 01 01 concrete

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

UN-Number	-	
· UN proper shipping name	-	
• Transport hazard class(es)	-	
· Packing group	-	

Printing date 05.06.2013

Revision: 05.06.2013

Trade name: HADALAN E-DS 54Z, Pulver

 • Special precautions for user
 Not applicable.

 • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
 Not applicable.

· Transport/Additional information:

not a dangerous good under transport regulations

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

• Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals



GB