

Printing date 04.07.2013

Revision: 04.07.2013

· I I VUULI Ш	entifier				
	e: HADALAN FKF	lex w 54Z			
• <b>Relevant id</b> No further • <b>Applicatio</b>	nber: 51006 B lentified uses of the relevant information n of the substance / i frost-resistant thin i	n available. <b>the preparation</b>		<b>igainst</b> ind natural stone slab	25
• <b>Manufactı</b> Heinrich H	t <b>he supplier of the so trer/Supplier:</b> Iahne GmbH & Co. I Iahne-Weg 11 teln			Т	el.:02363/5663
Abteilung: Tel.: 0236. EMail: info • Emergenc	o@hahne-bautensch w <b>telephone number:</b> ationszentrum Nord (	utz.de	tät Göttingen,		
- Huz,ur us	identification				
• Classificat • Classificat	ion of the substance ion according to Reg GHS05 corrosion		272/2008		
· Classificat · Classificat	ion of the substance ion according to Reg	gulation (EC) No 12			
• Classificat • Classificat Eye Dam.	ion of the substance ion according to Reg GHS05 corrosion	gulation (EC) No 12			
Classificat	ion of the substance ion according to Reg GHS05 corrosion 1 H318 Causes ser GHS07 4 H332 Harmful if 2 H315 Causes ski	gulation (EC) No 12 rious eye damage. rinhaled. n irritation.			
Classificat	ion of the substance ion according to Reg GHS05 corrosion 1 H318 Causes ser GHS07 4 H332 Harmful if 2 H315 Causes ski H335 May cause ion according to Dir	gulation (EC) No 12 ious eye damage. inhaled. n irritation. respiratory irritatio rective 67/548/EEC	n		
Classificat	ion of the substance ion according to Reg GHS05 corrosion 1 H318 Causes ser GHS07 4 H332 Harmful if 2 H315 Causes ski H335 May cause ion according to Din scription: Xi Irritant on concerning partic Irritating to respirate isk of serious damag	gulation (EC) No 12 ious eye damage. inhaled. n irritation. rective 67/548/EEC ular hazards for hu	n. or Directive 1999/45		
<ul> <li>Classificat</li> <li>Classificat</li> <li>Classificat</li> <li>Eye Dam.</li> <li>Eye Dam.</li> <li>Acute Tox.</li> <li>Skin Irrit. 2</li> <li>STOT SE 3</li> <li>Classificat</li> <li>Hazard de.</li> <li>Information R 37/38</li> <li>R 41</li> <li>R</li> <li>Classificat</li> </ul>	ion of the substance ion according to Reg GHS05 corrosion 1 H318 Causes ser GHS07 4 H332 Harmful if 2 H315 Causes ski H335 May cause ion according to Din scription: Xi Irritant on concerning partic Irritating to respirated isk of serious damag ion system:	gulation (EC) No 12 ious eye damage. inhaled. n irritation. rective 67/548/EEC ular hazards for hu ory system and skin. e to eyes.	n. or Directive 1999/45 man and environme		ny and literatu
<ul> <li>Classificat</li> <li>Classificat</li> <li>Classificat</li> <li>Eye Dam.</li> <li>Eye Dam.</li> <li>Classificat</li> <li>Classificat</li> <li>Hazard det</li> <li>Information</li> <li>R 41 R</li> <li>Classificat</li> <li>The classificat</li> </ul>	ion of the substance ion according to Reg GHS05 corrosion 1 H318 Causes ser GHS07 4 H332 Harmful if 2 H315 Causes ski H335 May cause ion according to Din scription: Xi Irritant on concerning partic Irritating to respirated isk of serious damag ion system: ication is according	gulation (EC) No 12 ious eye damage. inhaled. n irritation. rective 67/548/EEC ular hazards for hu ory system and skin. e to eyes.	n. or Directive 1999/45 man and environme	nt:	ny and literatu

Printing date 04.07.2013

Revision: 04.07.2013

Trade name: HADALAN FKFlex w 54Z

(Contd. of page 1)

· Code letter and hazard designation of product: Xi Irritant · Hazard-determining components of labelling: Cement, portland, chemicals · Risk phrases: 37/38 Irritating to respiratory system and skin. Risk of serious damage to eyes. 41 · Safety phrases: Do not breathe dust. 22 24/25 Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of 26 water and seek medical advice. 36/37/39 Wear suitable protective clothing, gloves and eye/face protection. · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: cementitious powder reaction

#### · Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals EINECS: 266-043-4 🗙 Xi R37/38-41 📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335

4 First aid measures

#### · Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **5** Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- not applicable, product is not flammable Fire-fighting measures must be adapted to fire.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

25-50%



Printing date 04.07.2013

Revision: 04.07.2013

Trade name: HADALAN FKFlex w 54Z

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes.
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ surface or ground water.$
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling:

- · Precautions for safe handling Prevent formation of dust.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Store in a cool, dry place.
- Storage class: VCI storage class: 13 Non-hazardous solid brand.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### 65997-15-1 Cement, portland, chemicals (25-50%)

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

14808-60-7 Quartz (SiO2) (50-100%)

WEL 0.15 A mg/m<sup>3</sup> 24; (DFG)

· Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- $\cdot$  General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.


### • **Respiratory protection:** Use dust mask if dust is produced. Leaflet ZH1/134 professional association

- Leajiei ZH1/154 projessional associal
- **Protection of hands:** Protective gloves

(Contd. on page 4)



GB



Revision: 04.07.2013

### Trade name: HADALAN FKFlex w 54Z

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Leaflet ZH 1/134 main dealer association d. BG

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of PVC, rubber, nitrile rubber.

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Wear protective goggles when dust and splashes.
- · Body protection: Suitable protective clothing.

# 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General	Information

Solid	
white	
Odourless	
11-13	
	1
Undetermined.	
Undetermined.	
Not applicable.	]
Product is not selfigniting.	]
Product does not present an explosion hazard.	]
Not determined.	1
	1
Dispersible.	
No further relevant information available.	
	white Odourless 11-13 Undetermined. Undetermined. Not applicable. Product is not selfigniting. Product does not present an explosion hazard. Not determined. Dispersible.

# 10 Stability and reactivity

- · Reactivity
- · Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB



Printing date 04.07.2013

hahne Bautenschutz Systeme

Revision: 04.07.2013

## Trade name: HADALAN FKFlex w 54Z

(Contd. of page 4)

# **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- $\cdot$  on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: As long as the expiration date is exceeded, is not expected to have a sensitizing effect.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

17 01 01 concrete

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

	-	
· UN proper shipping name	-	
Transport hazard class(es)	-	
Packing group	-	

— GB



Revision: 04.07.2013

Trade name: HADALAN FKFlex w 54Z

(Contd. of page 5)

$\cdot$ Special precautions for user	Not applicable.
· Transport in bulk according to Annex	c II of
MARPOL73/78 and the IBC Code	Not applicable.

· Transport/Additional information:

No dangerous good under transport regulations

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

• Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals



GB