

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** *HADALAN LF 51 12E, Komp. A*
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**
Solvent-free, 2- component water thinnable epoxy resin coating for floor and wall surfaces indoors and outdoors - part A.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Heinrich Hahne GmbH & Co. KG
Heinrich-Hahne-Weg 11
45711 Datteln* *Tel.:02363/5663-0*
- **Further information obtainable from:**
*Abteilung: Produktsicherheit
Tel.: 02363 5663-0
EMail: info@hahne-bautenschutz.de*
- **Emergency telephone number:**
*Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,
Tel.: 0551-19240*

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

-
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** *Xi Irritant*
 - **Hazard description:** *Xi Irritant*
 - **Information concerning particular hazards for human and environment:**
R 41 Risk of serious damage to eyes.
 - **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Code letter and hazard designation of product:**



Xi Irritant

- **Risk phrases:** *41 Risk of serious damage to eyes.*
- **Safety phrases:**
*24/25 Avoid contact with skin and eyes.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
37/39 Wear suitable gloves and eye/face protection.
46 If swallowed, seek medical advice immediately and show this container or label.*

Printing date 15.07.2011

Revision: 15.07.2011

Trade name: **HADALAN LF 51 12E, Komp. A**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** filled polyamin-adduct

- **Dangerous components:**

238080-05-2	Polyamin-Addukt	✘	Xn R22;	✘	Xi R41	>10-<20%
		⚠	Eye Dam. 1, H318;		⚠	Acute Tox. 4, H302

4 First aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** Nitrogen oxides (NOx)
- **Advice for firefighters**
- **Protective equipment:** Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Avoid contact with skin and eyes.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Open and handle receptacle with care.
- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 3)

GB

Trade name: HADALAN LF 51 12E, Komp. A

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Only store in original, unopen containers.
- **Information about storage in one common storage facility:** Do not store together with acids.
- **Further information about storage conditions:** Protect from frost.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
- **Respiratory protection:** Not required.
- **Protection of hands:**
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
- **pH-value at 20°C:** 9
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>100°C
- **Flash point:** Not applicable.
- **Self-igniting:** Product is not selfigniting.

(Contd. on page 4)

Trade name: HADALAN LF 51 12E, Komp. A

(Contd. of page 3)

· Danger of explosion:	Product does not present an explosion hazard.
· Density at 20°C:	1.5 g/cm ³
· Solubility in / Miscibility with water:	Fully miscible.
· Viscosity: Dynamic at 20°C:	2500 mPas

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Strong exothermic reaction with acids.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 01 11	waste paint and varnish containing organic solvents or other dangerous substances
----------	---

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 5)

Printing date 15.07.2011

Revision: 15.07.2011

Trade name: HADALAN LF 51 12E, Komp. A

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

(Contd. of page 4)

14 Transport information

- **Maritime transport IMDG:**
- **Marine pollutant:** No
- **Special precautions for user:** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.

- **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals