

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** HADAPLAN SP25 02E, Komp. A
- **Article number:** 50201 B
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** Solvent-free, stabile epoxy resin mortar
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Heinrich Hahne GmbH & Co. KG  
Heinrich-Hahne-Weg 11  
45711 Datteln Tel.: 02363/5663-0
- **Further information obtainable from:**  
Abteilung: Produktsicherheit  
Tel.: 02363 5663-0  
EMail: info@hahne-bautenschutz.de
- **Emergency telephone number:**  
Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,  
Tel.: 0551-19240

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

- |               |  |   |
|---------------|--|---|
| Acute Tox. 4  |  | H332 Harmful if inhaled.                  |
| Skin Irrit. 2 |  | H315 Causes skin irritation.              |
| Eye Irrit. 2  |  | H319 Causes serious eye irritation.       |
| Skin Sens. 1  |  | H317 May cause an allergic skin reaction. |

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Xn Harmful
- **Hazard description:** Xi Irritant
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
R 36/38 Irritating to eyes and skin.  
R 43 May cause sensitisation by skin contact.  
R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
Contains epoxy constituents. May produce an allergic reaction.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 2)

**Trade name: HADAPLAN SP25 02E, Komp. A**

(Contd. of page 1)

· **Code letter and hazard designation of product:**



Xi Irritant

· **Hazard-determining components of labelling:**

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number averagemolecular weight = 700)  
oxirane, mono[(C12-14-alkyloxy)methyl] derivs

· **Risk phrases:**

36/38 Irritating to eyes and skin.  
43 May cause sensitisation by skin contact.  
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Safety phrases:**

24/25 Avoid contact with skin and eyes.  
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.  
37 Wear suitable gloves.  
46 If swallowed, seek medical advice immediately and show this container or label.

· **Special labelling of certain preparations:** Contains epoxy constituents. May produce an allergic reaction.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.  
· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Composition from epoxy resin and filling materials

· **Dangerous components:**

CAS: 25068-38-6 NLP: 500-033-5	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) Xi R36/38; Xi R43; N R51/53 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Xi R38; Xi R43 Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-10%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

· **Description of first aid measures**

· **General information:** Remove contaminated clothing immediately.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

**Trade name: HADAPLAN SP25 02E, Komp. A**

(Contd. of page 2)

- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Foam ( alcohol resistant), carbon dioxide, dry powder, water spray.
- **For safety reasons unsuitable extinguishing agents:** Water jet.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** In case of fire: breathing protection with independent air supply.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Avoid skin and eye contact.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Store in closed containers in a cool, dry place.  
Ensure good ventilation / exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs, beverages and feed.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

**Trade name: HADAPLAN SP25 02E, Komp. A**

(Contd. of page 3)

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Wear safety gloves made of nitrile rubber with a thickness < 0.4 mm (penetration time > 480 min - see also [www.gisbau.de](http://www.gisbau.de)
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective clothing.

## 9 Physical and chemical properties

- |  |   |
|--|---|
| · <b>Information on basic physical and chemical properties</b> |   |
| · <b>General Information</b>                                   |   |
| · <b>Appearance:</b>   |   |
| Form:  | solid   |
| Colour:  | gray  |
| · <b>Odour:</b>  | Characteristic                                |
| · <b>Odour threshold:</b>                                      | Not determined.                               |
| · <b>pH-value:</b>   | Not determined.                               |
| · <b>Change in condition</b>                                   |   |
| Melting point/Melting range:                                   | Undetermined.                                 |
| Boiling point/Boiling range:                                   | Undetermined.                                 |
| · <b>Flash point:</b>  | > 100 °C                                      |
| · <b>Flammability (solid, gaseous):</b>                        | Not applicable.                               |
| · <b>Ignition temperature:</b>                                 |   |
| Decomposition temperature:                                     | Not determined.                               |
| · <b>Self-igniting:</b>  | Product is not selfigniting.                  |
| · <b>Danger of explosion:</b>                                  | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                                     |   |
| Lower:   | Not determined.                               |
| Upper:   | Not determined.                               |

(Contd. on page 5)

**Trade name: HADAPLAN SP25 02E, Komp. A**

(Contd. of page 4)

· <b>Vapour pressure at 50 °C:</b>	<5 hPa
· <b>Density at 20 °C:</b>	1.2 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Keep away from highly acidic and alkaline materials, oxidizing agents to avoid exothermic reactions.
- **Incompatible materials:**  
Exothermic reactions with amines. Processed quickly after adding the hardener, since in the high curing temperatures can be achieved.
- **Hazardous decomposition products:**  
At high temperatures may produce carbon monoxide and dioxide, smoke and nitrogen oxides.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

**25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)**

Dermal	LD50	>2000 mg/kg (rab)
		>2000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 6)

**Trade name: HADAPLAN SP25 02E, Komp. A**

(Contd. of page 5)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
-----------	--

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |  |
|--|--|
| · <b>UN-Number</b>   | Void   |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void   |
| · <b>UN proper shipping name</b>   | Void   |
| · <b>ADR</b>   | Void   |
| · <b>ADN, IMDG, IATA</b>   | Void   |
| · <b>Transport hazard class(es)</b>  | Void   |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void   |
| · <b>Class</b>   | Void   |
| · <b>Packing group</b>   | Void   |
| · <b>ADR, IMDG, IATA</b>   | Void   |
| · <b>Environmental hazards:</b>  |  |
| · <b>Marine pollutant:</b>   | No   |
| · <b>Special precautions for user</b>  | Not applicable.  |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.  |
| · <b>Transport/Additional information:</b>                                       | The preparation is not classified as dangerous according to international transport regulations. |

(Contd. on page 7)

Printing date 11.07.2013

Revision: 11.07.2013

Trade name: **HADAPLAN SP25 02E, Komp. A**

(Contd. of page 6)

· UN "Model Regulation": -

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Other regulations, limitations and prohibitive regulations**  
For activities involving exposure to uncured epoxy resins and contact on the skin or respiratory are causing regular preventive medical examinations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent