

Printing date 11.07.2013

Revision: 11.07.2013

D I (.) (.)	
· Product identif	
	ADALAN PSB 12E, Komp. A
	$\sim 50347 A$ Fied uses of the substance or mixture and uses advised against x he substance / the preparation x
Manufacturer/ Heinrich Hahn Heinrich-Hahn 45711 Datteln	GmbH & Co. KG
Abteilung: Proe Tel.: 02363 566 EMail: info@hu • Emergency tele	uktsicherheit 3-0 hne-bautenschutz.de <b>phone number:</b> szentrum Nord (GIZ Nord) Universität Göttingen,
e Hazards ider	tification
SK	f the substance or mixture ccording to Regulation (EC) No 1272/2008 09 environment
GHS	ccording to Regulation (EC) No 1272/2008 09 environment c 2 H411 Toxic to aquatic life with long lasting effects.
GHS Aquatic Chroni	ccording to Regulation (EC) No 1272/2008 09 environment c 2 H411 Toxic to aquatic life with long lasting effects.
Aquatic Chroni	ccording to Regulation (EC) No 1272/2008 09 environment c 2 H411 Toxic to aquatic life with long lasting effects. 07
GHS Aquatic Chroni GHS Skin Irrit. 2	ccording to Regulation (EC) No 1272/2008 D9 environment c 2 H411 Toxic to aquatic life with long lasting effects. H315 Causes skin irritation.
Aquatic Chroni Aquatic Chroni GHS Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 Classification of Hazard descrip Xi Irritant N Dangerous f Information coo R 36/38 Irrita R 43 May c R 51/53 Toxic effects in Contains epoxy Classification s	<ul> <li>ccording to Regulation (EC) No 1272/2008</li> <li>99 environment</li> <li>2 H411 Toxic to aquatic life with long lasting effects.</li> <li>2 H411 Toxic to aquatic life with long lasting effects.</li> <li>77</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>ccording to Directive 67/548/EEC or Directive 1999/45/EC</li> <li>for the environment</li> <li>neerning particular hazards for human and environment:</li> <li>ting to eyes and skin.</li> <li>uuse sensitisation by skin contact.</li> <li>to aquatic organisms, may cause long-term adverse</li> <li>the aquatic environment.</li> <li>constituents. May produce an allergic reaction.</li> </ul>
Aquatic Chroni Aquatic Chroni GHS Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 Classification a Hazard descrip Xi Irritant N Dangerous f Information co R 36/38 Irrita R 43 May c R 51/53 Toxia effects in Contains epoxy Classification s The classificati data.	<ul> <li>ccording to Regulation (EC) No 1272/2008</li> <li>99 environment</li> <li>2 H411 Toxic to aquatic life with long lasting effects.</li> <li>77</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>ccording to Directive 67/548/EEC or Directive 1999/45/EC</li> <li>ion:</li> <li>br the environment</li> <li>meerning particular hazards for human and environment:</li> <li>ting to eyes and skin.</li> <li>uuse sensitisation by skin contact.</li> <li>to aquatic organisms, may cause long-term adverse</li> <li>the aquatic environment.</li> <li>constituents. May produce an allergic reaction.</li> </ul>
Aquatic Chroni Aquatic Chroni GHS Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 Classification a Hazard descrip Xi Irritant N Dangerous f Information co R 36/38 Irrita R 43 May c R 51/53 Toxia effects in Contains epoxy Classification s The classificati data.	<ul> <li>ccording to Regulation (EC) No 1272/2008</li> <li>99 environment</li> <li>2 H411 Toxic to aquatic life with long lasting effects.</li> <li>77</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>ccording to Directive 67/548/EEC or Directive 1999/45/EC</li> <li>ion:</li> <li>br the environment</li> <li>meerning particular hazards for human and environment:</li> <li>ting to eyes and skin.</li> <li>uuse sensitisation by skin contact.</li> <li>to aquatic organisms, may cause long-term adverse</li> <li>the aquatic environment.</li> <li>constituents. May produce an allergic reaction.</li> </ul>

Printing date 11.07.2013

Revision: 11.07.2013

Trade name: HADALAN PSB 12E, Komp. A

(Contd. of page 1)

# Code letter and hazard designation of product: Xi Irritant N Dangerous for the environment Hazard-determining components of labelling: reaction product: bisphenol-A-(epichlorhydrin) epoxy re

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number averagemolecular weight = 700) Bisphenol-F Epichlorhydrinharz Reaktionspr.Phenol-Formaldehyd Novolak mit Epichlorhydrin oxirane, mono[(C12-14-alkyloxy)methyl] derivs

#### · Risk phrases:

- *36/38 Irritating to eyes and skin.*
- 43 May cause sensitisation by skin contact.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### · Safety phrases:

- 24/25 Avoid contact with skin and eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 27 Take off immediately all contaminated clothing.
- 29/56 Do not empty into drains, dispose of this material and its
- container at hazardous or special waste collection point.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- Special labelling of certain preparations: Contains epoxy constituents. May produce an allergic reaction. • Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• **Description:** epoxy resin formulation

# $\cdot$ Dangerous components:CAS: 25068-38-6<br/>NLP: 500-033-5reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number<br/>average molecular weight = 700)50-100%Xi R36/38; Xi R43; N R51/53Xi R43; N R51/53Aquatic Chronic 2: H411: $\land$ Skin Irrit 2: H315: Eve Irrit 2: H319:

	Aquatic Chronic 2, H411; (1) Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317		
	Bisphenol-F Epichlorhydrinharz Reaktionspr. Phenol-Formaldehyd Novolak mit Epichlorhydrin Xi R36/38; Xi R43; № N R51/53 Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%	
EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Xi R38; X Xi R43 Skin Irrit. 2, H315; Skin Sens. 1, H317	10-25%	
Additional information: For the wording of the listed risk phrases refer to section 16.			

(Contd. on page 3)



Printing date 11.07.2013



Revision: 11.07.2013

Trade name: HADALAN PSB 12E, Komp. A

(Contd. of page 2)

#### 4 First aid measures

- · Description of first aid measures
- · General information: Remove contaminated clothing immediately.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- $No\ further\ relevant\ information\ available.$

#### **5** Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- Foam (alcohol resistant), carbon dioxide, powder, spray
- · For safety reasons unsuitable extinguishing agents: Water jet.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: In case of fire: Use breathing apparatus with independent air supply.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Keep people away, provide adequate ventilation.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections No dangerous substances are released.

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling Store in tightly closed containers in a cool, dry place.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Keep container in a cool, well-ventilated place.
- · Information about storage in one common storage facility: Store away from foodstuffs, beverages and feed.
- · Further information about storage conditions: Protect from frost.
- · Storage class: VCI: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

<sup>–</sup> GB

Printing date 11.07.2013



Revision: 11.07.2013

Trade name: HADALAN PSB 12E, Komp. A

Control parameters
Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: The lists valid during the making were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
<b>Respiratory protection:</b> If good ventilation is not required.
Protection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the
degradation
Nitrile gloves with a thickness of> 0,4 mm wear (breakthrough time: 480 min, see also www.gisbau.de)
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection: Tightly sealed goggles.
Body protection: Protective work clothing.

Information on basic phys General Information	ical and chemical properties	
Appearance:		
Form:	Solid	
Colour:	According to product specification	
Odour:	Characteristic	
• Change in condition		
Melting point/Melting ra	nge: Undetermined.	
Boiling point/Boiling rai	nge: > 200 °C	
Flash point:	120 °C	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Density at 20 °C:	1.12 g/cm <sup>3</sup>	
Solubility in / Miscibility w	vith	
water:	Insoluble.	
Solvent content:		
Solids content:	100.0 %	
• Other information	No further relevant information available.	

(Contd. on page 5)

Printing date 11.07.2013

Revision: 11.07.2013

#### Trade name: HADALAN PSB 12E, Komp. A

(Contd. of page 4)

Bautenschutz System

#### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions
- Exothermic reactions with amines. Processed quickly after adding the hardener, since in the high curing temperatures can be achieved.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:
- From highly acidic or alkaline materials as well as oxidizers away to avoid exothermic reactions.
- · Hazardous decomposition products:

At high temperatures, carbon monoxide and dioxide, smoke and oxides of nitrogen.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes
- on the eye: Irritability.
- Sensitization: Contact may cause skin sensitization.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.


When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

# **12 Ecological information**

#### · Toxicity

Data for Component: Reaction product: bisphenol A-epichlorohydrin resin with medium molecular weight 700 pounds This product is toxic to aquatic organisms (LC50/EC50/IC50 1-10 mg / L in most sensitive species). Acute and chronic toxicity to fish LC50, rainbow trout (Oncorhynchus mykiss), semi-static, 96 h: 2 mg/l Acute toxicity to aquatic invertebrates EC50 Daphnia magna (water flea), static, 48 h, immobilization: 1.8 mg/l Toxicity to aquatic plants EC50 Scenedesmus capricornutum (freshwater), static, inhibition of Growth rate, 72 h: 11 mg / l Toxicity to microorganisms *IC50; bacteria, 18 h:> 42.6 mg / l Chronic toxicity value for aquatic invertebrates* Daphnia magna (water flea), semi-static, 21 d, number of offspring, NOEC: 0.3 mg/lData for Component: Oxirane, mono [(C12-14-alkyloxy) methyl] derivatives The material is not harmful to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than> 100 mg / L in most sensitive species). Acute and chronic toxicity to fish LC50, rainbow trout (Oncorhynchus mykiss), static, 96 h:> 5,000 mg / l LCO, bluegill (Lepomis macrochirus), static, 96 h: 1.800 mg / l Toxicity to aquatic plants EbC50, green alga Pseudokirchneriella subcapitata (formerly known as Selenastrum capricornutum), growth inhibition (cell density reduction), 72 h: 843 mg / l

GB



Revision: 11.07.2013

Trade name: HADALAN PSB 12E, Komp. A

(Contd. of page 5)

NOEC, green alga Pseudokirchneriella subcapitata (formerly known as Selenastrum capricornutum), growth inhibition (cell density reduction), 72 h: 500 mg / l

Data for Component: Reaction product: bisphenol-F epoxy resin medium molecular weight 700 pounds For similar / s Material / ien: This product is toxic to aquatic organisms (LC50/EC50/IC50 1-10 mg / L in most sensitive species).

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation

For disposal, local regulations have to be observed. Perform liquid component to a suitable incineration. Product may be disposed of after curing together with household waste.

· European waste catalogue

08 01 11\* waste paint and varnish containing organic solvents or other dangerous substances

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

UN-Number ADR, IMDG, IATA	UN3082
UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
IMDG, IATA	LIQUID, N.O.S. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S.
Transport hazard class(es)	
ADR	
Class	9 Miscellaneous dangerous substances and articles.
Label	9





Printing date 11.07.2013

Revision: 11.07.2013

Trade name: HADALAN PSB 12E, Komp. A

	(Contd. of page
IMDG	
Class	9 Miscellaneous dangerous substances and articles.
IATA	
₹¥2	
Class	9 Miscellaneous dangerous substances and articles.
Packing group	
ADR	111
Environmental hazards:	
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	E
UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S., 9, III

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- Other regulations, limitations and prohibitive regulations For activities involving exposure to uncured epoxy resins and contact via the skin or the respiratory tract regular preventive medical examinations are to be taken.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases


- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

R36/38 Irritating to eyes and skin.

- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.

(Contd. on page 8)

<sup>-</sup> GB



Revision: 11.07.2013

hahne

Bautenschutz Systeme

#### Trade name: HADALAN PSB 12E, Komp. A

(Contd. of page 7)	
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the	
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organization	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GB