

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** INTRASIT FWR 54Z
- **Article number:** 50371A
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** Wet wall Renovierputz for exterior and interior.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Heinrich Hahne GmbH & Co. KG  
Heinrich-Hahne-Weg 11  
45711 Datteln Tel.: 02363/5663-0
- **Further information obtainable from:**  
Abteilung: Produktsicherheit  
Tel.: 02363 5663-0  
EMail: info@hahne-bautenschutz.de
- **Emergency telephone number:**  
Gif tinformationszentrum Nord (GIZ Nord) Universität Göttingen,  
Tel.: 0551-19240

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

- **Hazard description:** Xi Irritant

- **Information concerning particular hazards for human and environment:**

R 37/38 Irritating to respiratory system and skin.

R 41 Risk of serious damage to eyes.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

GISCODE: ZP 1

- **Code letter and hazard designation of product:**



Xi Irritant

**Trade name: INTRASIT FWR 54Z**






(Contd. of page 1)

- **Risk phrases:**
  - 37/38 Irritating to respiratory system and skin.
  - 41 Risk of serious damage to eyes.
- **Safety phrases:**
  - 22 Do not breathe dust.
  - 24/25 Avoid contact with skin and eyes.
  - 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
  - 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|                                      |                                                                                                                                                                                                                                                                                                                                                                   |         |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| CAS: 65997-15-1<br>EINECS: 266-043-4 | Cement, portland, chemicals<br> Xi R37/38-41<br> Eye Dam. 1, H318;  Skin Irrit. 2, H315; STOT SE 3, H335 | 25-50%  |
| CAS: 1305-62-0<br>EINECS: 215-137-3  | calcium dihydroxide<br> Xi R41<br> Eye Dam. 1, H318                                                                                                                                         | 2.5-10% |

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air and to be sure call for a doctor.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Not applicable, product is not flammable.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Avoid exposure to skin and eyes.

(Contd. on page 3)

**Trade name: INTRASIT FWR 54Z**

(Contd. of page 2)

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Avoid formation of dust.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- **Information about storage in one common storage facility:**  
Do not store together with acids, food, beverages and tobacco
- **Further information about storage conditions:** Store in dry conditions.
- **Storage class:** VCI storage class: 13 - Non-hazardous solid brand.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**65997-15-1 Cement, portland, chemicals (10-25%)**

|     |                                                                                 |
|-----|---------------------------------------------------------------------------------|
| WEL | Long-term value: 10* 4** mg/m <sup>3</sup><br>*inhalable dust **respirable dust |
|-----|---------------------------------------------------------------------------------|

**14808-60-7 Quartz (SiO<sub>2</sub>) (50-100%)**

|     |                     |
|-----|---------------------|
| TWA | respirable fraction |
|-----|---------------------|

- **Additional information:**  
The lists valid during the making were used as basis.  
General dust limit 3 (A) mg / m<sup>3</sup>. The exposure limit values are taken at the time of the creation of valid TRGS 900th
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of dust formation use dust mask.  
Dust mask P1.  
Leaflet ZH 1/134 BG
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product / the substance / the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.  
Protective gloves. Leaflet ZH 1/134 main dealer association d. BG

(Contd. on page 4)

**Trade name: INTRASIT FWR 54Z**

(Contd. of page 3)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of PVC, rubber, nitrile rubber.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

In case of dust or splashes goggles.

Leaflet ZH 1/134 main dealer association d. BG

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Colour: Grey

· **Odour:** characteristic

· **pH-value at 20 °C:** 11-13 (Suspension im Wasser)

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· **Flash point:** Not applicable.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density:** Not determined.

· **Solubility in / Miscibility with water:** dispersible

· **Solvent content:**

Solids content: 100.0 %

· **Other information** No further relevant information available.

## 10 Stability and reactivity

· **Reactivity**

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known.

GB

(Contd. on page 5)

Printing date 04.10.2013

Revision: 04.10.2013

Trade name: INTRASIT FWR 54Z

(Contd. of page 4)

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritability
- **Sensitization:** As long as the expiration date is exceeded, is not expected to have a sensitizing effect.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

|          |          |
|----------|----------|
| 17 01 01 | concrete |
|----------|----------|

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                       |                 |
|---------------------------------------|-----------------|
| · <b>UN-Number</b>                    | -               |
| · <b>UN proper shipping name</b>      | -               |
| · <b>Transport hazard class(es)</b>   | -               |
| · <b>Packing group</b>                | -               |
| · <b>Environmental hazards:</b>       |                 |
| · <b>Marine pollutant:</b>            | No              |
| · <b>Special precautions for user</b> | Not applicable. |

(Contd. on page 6)

GB

Printing date 04.10.2013

Revision: 04.10.2013

Trade name: **INTRASIT FWR 54Z**

(Contd. of page 5)

- |                                                                                  |                                                                               |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                                               |
| · <b>Transport/Additional information:</b>                                       | Not hazardous according to RID / ADR, ADR / RID, ADNR, IMDG, ICAO-TI/IATA-DGR |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**  
The product is chromate according to TRGS 613  
Bulletin of the BG Chemie "M004" Irritant / Corrosive Substances "" note.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
.....  
R37/38 Irritating to respiratory system and skin.  
R41 Risk of serious damage to eyes.
- **Abbreviations and acronyms:**  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals