

Printing date 16.12.2014

Revision: 16.12.2014

l Identification of the substance/mixture and of the com	npany/undertaking
· Product identifier	
· Trade name: INTRASIT FWR 54Z	
• Article number: 50371A • Relevant identified uses of the substance or mixture and uses ad No further relevant information available. • Application of the substance / the mixture Wet wall Renovierputz	-
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Heinrich Hahne GmbH & Co. KG Heinrich-Hahne-Weg 11 45711 Datteln	Tel.:02363/5663
 Further information obtainable from: Abteilung: Produktsicherheit Tel.: 02363 5663-0 EMail: info@hahne-bautenschutz.de Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen, Tel.: 0551-19240 	
Hazards identification	
GHS05 corrosion	
<i>GHS05 corrosion</i> <i>Eye Dam. 1 H318 Causes serious eye damage.</i> <i>GHS07</i>	
Eye Dam. 1 H318 Causes serious eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	ronment:
 Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Classification according to Directive 67/548/EEC or Directive 19 Hazard description: Xi Irritant Information concerning particular hazards for human and envir R 37/38 Irritating to respiratory system and skin. R 41 Risk of serious damage to eyes. Classification system: 	ronment: sts, and extended by company and literatu
 Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Classification according to Directive 67/548/EEC or Directive 19 Hazard description: Xi Irritant Information concerning particular hazards for human and envir R 37/38 Irritating to respiratory system and skin. R 41 Risk of serious damage to eyes. Classification system: The classification is according to the latest editions of the EU-lis data. Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation 	ronment: sts, and extended by company and literatu
Eye Dam. 1 H318 Causes serious eye damage. Image: Construct of the series of	ronment: sts, and extended by company and literatu
 Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Classification according to Directive 67/548/EEC or Directive 19 Hazard description: Xi Irritant Information concerning particular hazards for human and envia R 37/38 Irritating to respiratory system and skin. R 41 Risk of serious damage to eyes. Classification system: The classification is according to the latest editions of the EU-list data. Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regular Hazard pictograms 	ronment: sts, and extended by company and literatu

Printing date 16.12.2014

Revision: 16.12.2014

Trade name: INTRASIT FWR 54Z

	(Cantd afrees 1)
calcium dihydra	(Contd. of page 1)
• Hazard stateme	
H315 Causes sk	
	rious eye damage.
• Precautionary s	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust.
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, ij
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
• Other hazards 1	Product reacts with water alkaline.
· Results of PBT	and vPvB assessment
· PBT: Not appli	
• vPvB: Not appli	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dungerous components.		
	Cement, portland, chemicals	10-25%
EINECS: 266-043-4	🗙 Xi R37/38-41	
	📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-62-0	calcium dihydroxide	< 2.5%
EINECS: 215-137-3	🗙 Xi R41	
	📀 Eye Dam. 1, H318	
• Additional information · For the wording of the listed risk phrases refer to section 16		

Additional information: For the wording of the listed risk phrases refer to section 10.

4 First aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air and to be sure call for a doctor.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Not applicable, product is not flammable.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

GB





Revision: 16.12.2014

Printing date 16.12.2014

Trade name: INTRASIT FWR 54Z

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Avoid exposure to skin and eyes.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Avoid formation of dust.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility:
- Do not store together with acids, food, beverages and tobacco
- Further information about storage conditions: Store in dry conditions.
- Storage class: VCI storage class: 13 Non-hazardous solid brand.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (10-25%)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

14808-60-7 Quartz (SiO2) (50-100%)

TWA respirable fraction

• Additional information:

The lists valid during the making were used as basis.

General dust limit 3 (A) mg / m^3 . The exposure limit values are taken at the time of the creation of valid TRGS 900th

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- **Respiratory protection:** In case of dust formation use dust mask. Dust mask P1. Leaflet ZH 1/134 BG
- Protection of hands:

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

(Contd. on page 4)



Printing date 16.12.2014

Revision: 16.12.2014

Trade name: INTRASIT FWR 54Z

(Contd. of page 3)

degradation. Protective gloves. Leaflet ZH 1/134 main dealer association d. BG • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of PVC, rubber, nitrile rubber.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

In case of dust or splashes goggles. Leaflet ZH 1/134 main dealer association d. BG

9 Physical and chemical properties

· Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Powder	
Colour:	Grey	
· Odour:	characteristic	
· pH-value at 20 •C:	11-13 (Suspension im Wasser)	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Self-igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Density:	Not determined.	
· Solubility in / Miscibility with		
water:	dispersible	
· Solvent content:		
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

Printing date 16.12.2014

hahne Bautenschutz Systeme

Revision: 16.12.2014

Trade name: INTRASIT FWR 54Z

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritability
- Sensitization: As long as the expiration date is exceeded, is not expected to have a sensitizing effect.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.


· European waste catalogue

17 01 01 concrete

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

UN-Number	-	
UN proper shipping name	-	
Transport hazard class(es)	-	
Packing group	-	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	



Revision: 16.12.2014

Trade name: INTRASIT FWR 54Z

(Contd. of page 5)

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· Transport/Additional information:	Not hazardous according to RID / ADR, ADR / RID, ADNR, IMDG, ICAO-TI/IATA-DGR

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations The product is chromate according to TRGS 613 Bulletin of the BG Chemie "M004" Irritant / Corrosive Substances "" note.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

• Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

GB

