

Printing date 07.02.2013 Revision: 07.02.2013

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: INTRASIT PU-Injekt 12P, component A

· Article number: 50244 B

· Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation

Solvent-free, two-component elastified special injection resin for non-shrinking crack injection in concrete and masonry

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Heinrich Hahne GmbH & Co. KG

Heinrich-Hahne-Weg 11

45711 Datteln

Tel.:02363/5663-0

· Further information obtainable from:

Abteilung: Produktsicherheit

Tel.: 02363 5663-0

EMail: in fo@hahne-bautenschutz.de

· Emergency telephone number:

Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,

Tel.: 0551-19240

### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals.
- · Hazard-determining components of labelling: polyether polyol
- · Risk phrases: 22 Harmful if swallowed.
- · Safety phrases: 46 If swallowed seek medical advice immediately and show container or label.
- · Other hazards

The product does not contain any organically bound halogens (AOX), nitrates, heavy metal compounds and formaldehyde.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Polyol component for the polyurethane resin.

(Contd. on page 2)



Printing date 07.02.2013 Revision: 07.02.2013

Trade name: INTRASIT PU-Injekt 12P, component A							
Dangar	ous components	(Contd. of page 1)					
	ous components: 69-4   Polyetherpolyol	<b>№</b> Xn R22   50-100%					
		♠ Acute Tox. 4, H302					

#### 4 First aid measures

- · Description of first aid measures
- · General information: Get when symptoms or doubt seek medical advice.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: In general, the product is not skin irritant.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

*Use fire extinguishing methods suitable to surrounding conditions.* 

Foam (alcohol resistant), carbon dioxide, powder, spray (water).

- · For safety reasons unsuitable extinguishing agents: Waterjet.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Exposure to decomposition products may cause a health hazard.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Keep away from fire. Do not inhale fumes.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections No dangerous substances are released.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Store in sealed containers in a cool, dry place.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- . Storage
- Requirements to be met by storerooms and receptacles: Keep containers tightly closed at 5 °C to 30 °C.
- · Information about storage in one common storage facility: Keep away from foodstuffs, beverages and food.
- · Further information about storage conditions:

Store in original container.

Keep away from heat and direct sunlight.

(Contd. on page 3)



Printing date 07.02.2013 Revision: 07.02.2013

Trade name: INTRASIT PU-Injekt 12P, component A

(Contd. of page 2)

 $\cdot$  *Specific end use*(s) *No further relevant information available.* 

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: The room ventilation is not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Suitable materials for protective gloves, EN 374-3:

Polychloroprene - CR: thickness> = 0.5 mm, breakthrough time> = 480 min Nitrile rubber - NBR: thickness> = 0.35 mm, breakthrough time> = 480 min Butyl rubber - IIR: thickness> = 0.5 mm, breakthrough time> = 480 min

Fluorocarbon - FKM: thickness> = 0.4 mm breakthrough time> = 480 min

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Wear safety goggles.
- · **Body protection:** Protective work clothing.

### 9 Physical and chemical properties

· Information on	basic	physical	and	chemical	properties
		F J			F · · F · · · · ·

- · General Information
- · Appearance:

Form: Fluid colorless

· Odour: weak, characteristic

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

• Flash point:  $>101^{\circ}C$ 

· Self-igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Vapour pressure at 20°C: 0.07 mbar

(Contd. on page 4)



Printing date 07.02.2013 Revision: 07.02.2013

Trade name: INTRASIT PU-Injekt 12P, component A

		(Contd. of page 3
· Density at 20°C:	$0.99 \ g/cm^3$	
· Solubility in / Miscibility		
water:	Not miscible or difficult to mix.	
· Viscosity:		
Dynamic at 20°C:	80 mPas	
· Solvent content:		
Organic solvents:	0.0%	
Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

From strong acids, strong bases and oxidants in order to avoid exothermic reactions.

· Hazardous decomposition products:

At higher temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 5)



Printing date 07.02.2013 Revision: 07.02.2013

Trade name: INTRASIT PU-Injekt 12P, component A

(Contd. of page 4)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

No longer usable components in the prescribed mix ratio and cure. Disposal according to official regulations.

· European waste catalogue

08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	-
UN proper shipping name	-
Transport hazard class(es)	-
Packing group	-
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
Transport/Additional information:	This preparation is not classified as dangerous according t international transport regulations.

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

R22 Harmful if swallowed.

· Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals