

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** INTRASIT RZ2 55HSP
- **Article number:** 50289 B
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**  
Fiber-reinforced quick-setting climate mortar. Water-repellent pore sealing lightweight plaster for 10 to 25 mm thick layers.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Heinrich Hahne GmbH & Co. KG  
Heinrich-Hahne-Weg 11  
45711 Datteln Tel.: 02363/5663-0
- **Further information obtainable from:**  
Abteilung: Produktsicherheit  
Tel.: 02363 5663-0  
EMail: info@hahne-bautenschutz.de
- **Emergency telephone number:**  
Gif tinformat ionszentrum Nord (GIZ Nord) Universität Göttingen,  
Tel.: 0551-19240

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Xi Irritant
- **Information concerning particular hazards for human and environment:**

R 37/38 Irritating to respiratory system and skin.

R 41 Risk of serious damage to eyes.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Code letter and hazard designation of product:**



Xi Irritant

**Trade name: INTRASIT RZ2 55HSP**

(Contd. of page 1)

- **Hazard-determining components of labelling:** Cement, portland, chemicals
- **Risk phrases:**
  - 37/38 Irritating to respiratory system and skin.
  - 41 Risk of serious damage to eyes.
- **Safety phrases:**
  - 22 Do not breathe dust.
  - 24/25 Avoid contact with skin and eyes.
  - 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
  - 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- **Other hazards** Labeling with Xi occurs in contact in the water (alkaline reaction).
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Dry mortar of mineral binders and additives.

· **Dangerous components:**

CAS: 65997-15-1	Cement, portland, chemicals	25-50%
EINECS: 266-043-4	 Xi R37/38-41	
	 Eye Dam. 1, H318;  Skin Irrit. 2, H315; STOT SE 3, H335	

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation:**
  - Supply fresh air and to be sure call for a doctor.
  - In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
  - No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Not applicable, product is not flammable.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Respiratory equipment.
- **Additional information** Product hardens on contact with water.

GB

(Contd. on page 3)

Trade name: **INTRASIT RZ2 55HSP**

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Avoid contact with eyes and skin.
- **Environmental precautions:**
  - Do not allow to enter sewers/ surface or ground water.
  - Do not empty into drains / surface water / ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Avoid formation of dust.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
  - **Requirements to be met by storerooms and receptacles:** Only in unopened original container.
  - **Information about storage in one common storage facility:** Do not store together with acids.
  - **Further information about storage conditions:** Store in dry conditions.
  - **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

<b>60676-86-0 Silica, vitreous (25-50%)</b>	
WEL	Long-term value: 0.08 mg/m <sup>3</sup>
	respirable dust
<b>65997-15-1 Cement, portland, chemicals (25-50%)</b>	
WEL	Long-term value: 10* 4** mg/m <sup>3</sup>
	*inhalable dust **respirable dust

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing
  - Wash hands before breaks and at the end of work.
  - Avoid contact with the skin.
  - Avoid contact with the eyes and skin.
- **Respiratory protection:** Wear a dust mask if dust is generated.
- **Protection of hands:**
  - Protective gloves
  - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

**Trade name: INTRASIT RZ2 55HSP**

(Contd. of page 3)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** When dust or splashes goggles.

· **Body protection:** Wear protective clothing.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Colour: white

· **Odour:** Odourless

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· **Flash point:** Not applicable.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density:** Not determined.

· **Solubility in / Miscibility with water:** dispersible

· **Solvent content:**

Solids content: 100.0 %

· **Other information** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity**

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Strong irritant with the danger of severe eye injury.

(Contd. on page 5)

**Trade name: INTRASIT RZ2 55HSP**

(Contd. of page 4)

- **Sensitization:**  
As long as the expiration date of the product is not exceeded, a sensitizing effect is not expected.
- **Other information (about experimental toxicology):**  
When mixed with water, the product can cause skin damage with prolonged contact.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

17 01 01	concrete
----------	----------

- **Uncleaned packaging:**
- **Recommendation:** Non contaminated packagings may be recycled.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

- |                                     |      |
|-------------------------------------|------|
| · <b>UN-Number</b>                  | Void |
| · <b>ADR, ADN, IMDG, IATA</b>       | Void |
| · <b>UN proper shipping name</b>    | Void |
| · <b>ADR, ADN, IMDG, IATA</b>       | Void |
| · <b>Transport hazard class(es)</b> | Void |
| · <b>ADR, ADN, IMDG, IATA</b>       | Void |
| · <b>Class</b>                      | Void |
| · <b>Packing group</b>              | Void |
| · <b>ADR, IMDG, IATA</b>            | Void |

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.10.2012

Revision: 18.10.2012

Trade name: **INTRASIT RZ2 55HSP**

(Contd. of page 5)

- |  |                        |
|--|------------------------|
| <i>· Special precautions for user</i>  | <i>Not applicable.</i> |
| <i>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</i> | <i>Not applicable.</i> |
| <i>· UN "Model Regulation":</i>  | -                      |

### 15 Regulatory information

- *Safety, health and environmental regulations/legislation specific for the substance or mixture*
- *National regulations:*
- *Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.*
- *Chemical safety assessment: A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

*H315 Causes skin irritation.*

*H318 Causes serious eye damage.*

*H335 May cause respiratory irritation.*

*R37/38 Irritating to respiratory system and skin.*

*R41 Risk of serious damage to eyes.*

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonized System of Classification and Labelling of Chemicals*