


Printing date 26.05.2015

Revision: 26.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
Trade name: INTRASIT RZ2 55HSP
 Article number: 50289 B 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Fiber-reinforced quick-setting climate mortar. Water-repellent pore sealing lightweight plaster for 10 to 25 mm thick layers.
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Heinrich Hahne GmbH & Co. KG Heinrich-Hahne-Weg 11 45711 Datteln Tel.:02363/5663-0
 Further information obtainable from: Abteilung: Produktsicherheit Tel.: 02363 5663-0 EMail: info@hahne-bautenschutz.de 1.4 Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen, Tel.: 0551-19240
SECTION 2: Hazards identification
GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07
Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi Irritant Information concerning particular hazards for human and environment: R 37/38 Irritating to respiratory system and skin. R 41 Risk of serious damage to eyes. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms
GHS05 GHS07
(Contd. on page 2) GB



Revision: 26.05.2015

Trade name: INTRASIT RZ2 55HSP

	(Contd. of p	age 1)
• Signal word Da	inger	
· Hazard-determ	ining components of labelling:	
Cement, portlan	nd, chemicals	
· Hazard stateme	ents	
H315 Causes sk	kin irritation.	
H318 Causes se	erious eye damage.	
H335 May caus	se respiratory irritation.	
· Precautionary s	statements	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense	es, if
	present and easy to do. Continue rinsing.	
P312	Call a POISON CENTER or doctor/physician if you feel unwell.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
· 2.3 Other hazar	rds Labeling with Xi occurs in contact in the water (alkaline reaction).	
· Results of PBT	and vPvB assessment	
· PBT: Not applie	cable.	
· vPvB: Not appli		

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Dry mortar of mineral binders and additives.

· Dangerous components:

 CAS: 65997-15-1
 Cement, portland, chemicals
 25-50%

 EINECS: 266-043-4
 Xi R37/38-41
 25-50%

 Einection of the state of the

• Additional information: For the wording of the listed risk phrases refer to section 16. GISCODE ZP1 In chromate 613

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.


SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Not applicable, product is not flammable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Respiratory equipment.

(Contd. on page 3)

- GB





hahne Bautenschutz Systeme

Revision: 26.05.2015

(Contd. of page 2)

Trade name: INTRASIT RZ2 55HSP

• Additional information Product hardens on contact with water.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin.
- 6.2 Environmental precautions: Do not empty into drains / surface water / ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Avoid formation of dust.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Only in unopened original container.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Store in dry conditions.
- Storage class: VCI storage class: 13 Non-hazardous solid brand.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

60676-86-0 Silica, vitreous (25-50%)

WEL Long-term value: 0.08 mg/m³

respirable dust

65997-15-1 Cement, portland, chemicals (25-50%)

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- Do not breathe dust.
- **Respiratory protection:** Wear a dust mask if dust is generated.
- Dust mask P1.
- · Protection of hands:
- Protective gloves

(Contd. on page 4)



Printing date 26.05.2015

Revision: 26.05.2015

Trade name: INTRASIT RZ2 55HSP

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of PVC, rubber, nitrile rubber.

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: When dust or splashes goggles.
- · Body protection: Wear protective clothing.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic phys • General Information • Appearance:	ical and chemical properties
Form:	Powder
Colour:	white
· Odour:	Odourless
· Change in condition	
Melting point/Melting range	: Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with	
water:	Insoluble.
	dispersible
· Solvent content:	
Solids content:	100.0 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Avoid contact with acids.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

Printing date 26.05.2015

Revision: 26.05.2015

Trade name: INTRASIT RZ2 55HSP

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitisation:
- As long as the expiration date of the product is not exceeded, a sensitizing effect is not expected.
- Other information (about experimental toxicology):
- When mixed with water, the product can cause skin damage with prolonged contact.
- · Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · European waste catalogue
- 17 01 01 | concrete
- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information					
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void				
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void				
		(Contd. on page 6) GH			





Printing date 26.05.2015

Revision: 26.05.2015

Trade name: INTRASIT RZ2 55HSP

		(Contd. of page 5
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:	not hazardous under transport regulations	
· UN "Model Regulation":	_	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations GISCODE: ZP 1

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

GB