

Printing date 26.10.2012 Revision: 21.09.2012

I Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: ÖKOPLAST 2K 20B, powder

· Article number: 51222 B

· Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation

Solvent-free, crack-bridging, two-component thick bitumen coating for the reliable waterproofing of buildings

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Heinrich Hahne GmbH & Co. KG

Heinrich-Hahne-Weg 11

45711 Datteln

Tel.:02363/5663-0

· Further information obtainable from:

Abteilung: Produktsicherheit

Tel.: 02363 5663-0

EMail: info@hahne-bautenschutz.de

· Emergency telephone number:

Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,

Tel.: 0551-19240

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi Irritant
- · Information concerning particular hazards for human and environment:

R 41 Risk of serious damage to eyes.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- Label elements
- · Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals.
- · Code letter and hazard designation of product:



Xi Irritant

- · Risk phrases: 41 Risk of serious damage to eyes.
- · Safety phrases:
- 22 Do not breathe dust.
- 24/25 Avoid contact with skin and eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of

(Contd. on page 2)



Printing date 26.10.2012 Revision: 21.09.2012

Trade name: ÖKOPLAST 2K 20B, powder

(Contd. of page 1)

2.5-10%

water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

- · Other hazards Product reacts in conjunction with water alkaline
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: cementitious reactive powder

· Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals

EINECS: 266-043-4 Xi R37/38-41

📀 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315; STOT SE 3, H335

· Additional information: Chromates according to TRGS 613

4 First aid measures

- · Description of first aid measures
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek immediate medical advice.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Not applicable, product is not flammable
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters Not required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Do not breathe dust.
- · Environmental precautions:

No special measures required.

Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections No dangerous substances are released.

__



Printing date 26.10.2012 Revision: 21.09.2012

Trade name: ÖKOPLAST 2K 20B, powder

(Contd. of page 2)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Keep out of the reach of children.

Avoid contact with skin.

Avoid contact with eyes.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: In closed original container.
- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions: Protect from moisture ingress.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (2.5-10%)

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use a dust mask if dust is generated.

Leaflet ZH1/134 Federation d. Gewerbl.BG

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Wear dust and splashes tight fitting goggles.

Leaflet ZH1/134 Federation d. Gewerbl.BG

(Contd. on page 4)



Printing date 26.10.2012 Revision: 21.09.2012

Trade name: ÖKOPLAST 2K 20B, powder

· Body protection: Wear protective clothing.

(Contd. of page 3)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder
Colour: Grey
Odour: Odourless

• pH-value (100 g/l) at 20 °C: ca. 11

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

• Density at 20 °C: 1.1 g/cm³

• Bulk density: 1640 kg/m^3

· Solubility in / Miscibility with

water: Dispersible.

· Solvent content:

Solids content: 100.0 %

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritability
- · on the eye: Strong irritant.
- · Sensitization:

As long as the expiration date of the product is not exceeded, a sensitizing effect is not expected.

GB ·



Printing date 26.10.2012 Revision: 21.09.2012

Trade name: ÖKOPLAST 2K 20B, powder

(Contd. of page 4)

12 Ecological information

- · Toxicity
- $\cdot \textbf{\textit{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · European waste catalogue

17 01 01 | concrete

- · Uncleaned packaging:
- Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADR, IMDG, IATA	Void
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· Item:	- · ·

GB ·



Printing date 26.10.2012 Revision: 21.09.2012

Trade name: ÖKOPLAST 2K 20B, powder

(Contd. of page 5)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

Risk of serious damage to eyes.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals