

Printing date 30.11.2017

Revision: 30.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
<ul> <li>Trade name: <u>hahne 2K PFM -15-, Komp. B</u></li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> <li>Application of the substance / the mixture 2-component mortar based on epoxy resin, hardener component.</li> </ul>
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Heinrich Hahne GmbH &amp; Co. KG Heinrich-Hahne-Weg 11 45711 Datteln</li> <li>Tel.:02363/5663-0</li> </ul>
<ul> <li>Further information obtainable from: Abteilung: Produktsicherheit Tel.: 02363 5663-0 EMail: info@hahne-bautenschutz.de</li> <li>1.4 Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen, Tel.: 0551-19240</li> </ul>
SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008
GHS05 corrosion
Skin Corr. 1BH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.GHS07
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms</li> <li>GHS05 GHS07</li> </ul>
· Signal word Danger
<ul> <li>Hazard-determining components of labelling: Carbomonozyklische, alkylierte Gemische aus Poly-aza-Alkanen, hydriert Oxirane, reaction products with ammonia, N-benzyl derivate 1,3-benzenedimethanamine, N-(2-phenylethyl) derivs.</li> <li>Hazard statements H314 Causes severe skin burns and eye damage.</li> </ul>
H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
(Contd. on page 2)



Revision: 30.11.2017

Printing date 30.11.2017

Trade name: hahne 2K PFM -15-, Komp. B

	(Contd. of page 1)
· Precautionary state	ements
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
· 2.3 Other hazards	
· Results of PBT and	l vPvB assessment
· PBT: Not applicab	le.

· vPvB: Not applicable.

-----

# SECTION 3: Composition/information on ingredients

### · 3.2 Chemical characterisation: Mixtures

• Description: Amine-containing hardeners for epoxy resins.

· Dangerous components:			
1173092-74-4 Carbomonozyklische, alkylierte Gemische aus Poly-aza-Alkanen, hydriert	50-100%		
🔗 Skin Corr. 1B, H314; 🚸 Skin Sens. 1, H317			
1191251-49-6 Oxirane, reaction products with ammonia, N-benzyl derivate	2.5-10%		
😔 Skin Corr. 1C, H314; Eye Dam. 1, H318			
404362-22-7 1,3-benzenedimethanamine, N-(2-phenylethyl) derivs.	1-2.5%		
STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	2		

• Additional information:

For the wording of the listed hazard phrases refer to section 16. GISCODE: RE 1 (resin + hardener)

### **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** NOTE TO PHYSICIANS: Application of corticosteroid cream has been shown to be effective in the treatment of skin irritation.

(Contd. on page 3)

GB

Printing date 30.11.2017

Bautenschutz Syst Revision: 30.11.2017

Trade name: hahne 2K PFM -15-, Komp. B

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Foam (alcohol resistant), carbon dioxide, dry chemical, dry sand, limestone powder.
- · For safety reasons unsuitable extinguishing agents:

Incomplete combustion may produce carbon monoxide. May evolve ammonia gas. May evolve toxic nitrogen oxides. Burning produces obnoxious and toxic fumes. personnel downwind should be evacuated.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters Use fire extinguishing methods suitable to surrounding.
- · Protective equipment:

Avoid contact with skin. Face protection. Use personal protective equipment. In case of fire, if necessary wear self-contained breathing apparatus.

· Additional information

Water run-off from contaminating drains or watercourses by firefighters. Fire residues and contaminated firefighting water must be disposed of according to local regulations.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and naterial for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13.

*Ensure adequate ventilation.* 

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Store in a cool, dry place.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in original container.
- · Information about storage in one common storage facility:
- Do not store with acids.
- Store away from foodstuffs, beverages and feed.
- Further information about storage conditions: Protect from frost.
- Storage class: VCI: 8
- · 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 30.11.2017



Revision: 30.11.2017

Trade name: hahne 2K PFM -15-, Komp. B

	(Contd. of page 3)
8.1	Control parameters
Ingr	edients with limit values that require monitoring at the workplace:
100-	51-6 Benzyl alcohol (5%)
WEI	see Section IIb
Add	tional information: The lists valid during the making were used as basis.
8.2	Exposure controls
	onal protective equipment:
Gen	eral protective and hygienic measures:
Kee	away from foodstuffs, beverages and feed.
Imm	ediately remove all soiled and contaminated clothing
Was	h hands before breaks and at the end of work.
Avo	d contact with the eyes and skin.
Resp	iratory protection:
	good air ventilation is not required. An inadequately ventilated places and during spray processing, respiratory protection. Filter A / P2.
Prot	ection of hands:
Prot	ective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the adation
· · ·	erial of gloves
The and resis	selection of the suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the tance of the glove material can not be calculated in advance and has therefore to be checked prior to the ication.
	ective nitrile gloves with a thickness of min. 0.4 mm reagen (breakthrough time> 480 min., See also g.gisbau.de).
Pen	etration time of glove material
	exact break trough time has to be found out by the manufacturer of the protective gloves and has to be rved.
Eye	protection: Tightly sealed goggles
	protection: Impervious clothing.

<ul> <li>9.1 Information on basic physical a</li> <li>General Information</li> </ul>	nd chemical properties	
· Appearance:		
Form:	liquid	
Colour:	yellowish	
· Odour:	by Amin.	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	ange: >200 °C	
· Flash point:	>100 °C	
· Flammability (solid, gas):	Not applicable.	



Revision: 30.11.2017

Printing date 30.11.2017

Trade name: hahne 2K PFM -15-, Komp. B

		(Contd. of page
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Vapour pressure at 21 °C:	>0 hPa	
Density at 20 °C:	1.01 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Before strongly acidic and alkaline materials as well as oxidizers Keep to avoid exothermic reaction.

• 10.6 Hazardous decomposition products: When heated, formation of carbon monoxide, carbon dioxide, nitrogen oxides, ammonia, aldehyde, inflammatory hydrocarbon fragments possible.

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- $\cdot \textit{Germ cell mutagenicity} \textit{ Based on available data, the classification criteria are not met.}$
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB -

Printing date 30.11.2017

hahne Bautenschutz Systeme

Revision: 30.11.2017

Trade name: hahne 2K PFM -15-, Komp. B

• STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met. (Contd. of page 5)

- SECTION 12: Ecological information
- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

 $\cdot$  European waste catalogue

08 01 11\* | waste paint and varnish containing organic solvents or other dangerous substances

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name ADR IMDG, IATA	2735 AMINES, LIQUID, CORROSIVE, N.O.S. AMINES, LIQUID, CORROSIVE, N.O.S. mixture
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
and the second s	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	III



Printing date 30.11.2017

Revision: 30.11.2017

Trade name: hahne 2K PFM -15-, Komp. B

	(Contd. of pag
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
14.7 Transport in bulk according to An	nex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: E1
· · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN2735, AMINES, LIQUID, CORROSIVE, N.O.S., 8, III

# **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- Other regulations, limitations and prohibitive regulations For activities involving exposure to uncured epoxy resins and contact via the skin or the respiratory regular checkups are to be taken.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

(Contd. on page 8)

- GB



Printing date 30.11.2017

Revision: 30.11.2017

## Trade name: hahne 2K PFM -15-, Komp. B

(Contd. of page 7) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
GB