

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** HADALAN EBG 13E, Komp. B
- **Article number:** 40344B
- **UFI:** KM30-E0RY-3009-MJPE
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Epoxy resin dispersion, bonding agent and primer.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Sievert Baustoffe GmbH & Co. KG  
Mühlenschweg 6  
D-49090 Osnabrück  
Tel.: +49 2363 5663-0
- **Further information obtainable from:**  
Abteilung: Produktsicherheit  
Tel.. +49 2363 5663-0  
info-hahne@sievert.de
- **1.4 Emergency telephone number:**  
Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,  
Tel.: 0551-19240

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2            H315 Causes skin irritation.  
Eye Irrit. 2            H319 Causes serious eye irritation.  
Skin Sens. 1            H317 May cause an allergic skin reaction.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07



GHS09

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
bis[4-(2,3-epoxypropoxy)phenyl]propane

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

**Trade name: HADALAN EBG 13E, Komp. B**

(Contd. of page 1)

formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol oxirane, mono[(C12-14-alkyloxy)methyl] derivs

· **Hazard statements**

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

- P262 Do not get in eyes, on skin, or on clothing.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P360 Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

· **Additional information:**

Contains epoxy constituents. May produce an allergic reaction.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|                                      |  |         |
|--------------------------------------|--|---------|
| CAS: 1675-54-3<br>EINECS: 216-823-5  | bis[4-(2,3-epoxypropoxy)phenyl]propane<br>⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317                           | 50-100% |
| CAS: 9003-36-5                       | formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol<br>⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317 | 10-25%  |
| CAS: 68609-97-2<br>EINECS: 271-846-8 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs<br>⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317   | 10-25%  |

· **Additional information:**

For the wording of the listed hazard phrases refer to section 16.  
GHS CODE: RE 1 (Part A + B)

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

Trade name: **HADALAN EBG 13E, Komp. B**

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
Foam ( alcohol resistant), carbon dioxide, dry powder, water spray.
- **For safety reasons unsuitable extinguishing agents:** Water jet.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters** In case of fire: breathing protection with independent air supply.
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Not required.  
Keep unprotected persons away.  
Wear protective gloves, goggles and suitable protective clothing.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store only in unopened original container.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in cool, dry place.
- **Information about storage in one common storage facility:** Store separate from eatables.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Protect from frost.
- **Storage class:** VCI: 10
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

Trade name: **HADALAN EBG 13E, Komp. B**

(Contd. of page 3)

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required if good ventilation.
- **Protection of hands:**  
Protective gloves  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective clothing.

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

|                         |                        |
|-------------------------|------------------------|
| <b>Form:</b>            | Fluid                  |
| <b>Colour:</b>          | Fluid                  |
| <b>Odour:</b>           | colorless              |
| <b>Odour threshold:</b> | Characteristic         |
|                         | weak, charakteristical |
| <b>pH-value:</b>        | Not determined.        |
- **Change in condition**

|   |               |
|---|---------------|
| <b>Melting point/freezing point:</b>            | Undetermined. |
| <b>Initial boiling point and boiling range:</b> | >200 °C       |
- **Flash point:** 120 °C
- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**

|               |                 |
|---------------|-----------------|
| <b>Lower:</b> | Not determined. |
| <b>Upper:</b> | Not determined. |
- **Vapour pressure:** Not determined.
- **Density at 20 °C:** 1.12 g/cm<sup>3</sup>
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

Trade name: **HADALAN EBG 13E, Komp. B**

(Contd. of page 4)

|  |  |
|--|--|
| · <b>Solubility in / Miscibility with water:</b> | Not miscible or difficult to mix.          |
| · <b>Partition coefficient: n-octanol/water:</b> | Not determined.                            |
| · <b>Viscosity:</b>                              |  |
| <b>Dynamic:</b>                                  | Not determined.                            |
| <b>Kinematic:</b>                                | Not determined.                            |
| · <b>Solvent content:</b>                        |  |
| <b>Solids content:</b>                           | 100.0 %                                    |
| · <b>9.2 Other information</b>                   | No further relevant information available. |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Exothermic reactions with amines. Rapidly process after adding the hardener, as in the curing high temperatures can be reached.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**  
From strongly acidic and alkaline materials as well as oxidizing agents hold in order to avoid exothermic reactions.
- **10.6 Hazardous decomposition products:**  
At higher temperatures may produce carbon dioxide, carbon monoxide and nitrogen oxides.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- Acute oral toxicity  
Very low oral toxicity. Harmful effects are produced if small amounts are swallowed not expected.  
As a product. Oral LD50 (single dose) has not been determined. Based on Information for component (s):  
LD50, rat, > 10,000 mg / kg (estimated)
- Acute dermal toxicity  
Skin resorption of harmful amounts is unlikely after prolonged exposure.  
As a product. Dermal LD50: not determined. Based on information for component (s):  
LD50, rabbit, > 5,000 mg / kg (estimated)
- Acute inhalation toxicity  
Excessive exposure may cause upper respiratory tract irritation.  
The LC50 has not been determined.
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

Trade name: **HADALAN EBG 13E, Komp. B**

(Contd. of page 5)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### · 12.1 Toxicity

2,2'-(1-methylethylidene) bis (4,1-phenyleneoxymethylene) bis-oxirane

Acute fish toxicity

The product is toxic to aquatic organisms (LC50 / EC50 / IC50 between 1 and 10 mg / l for the most sensitive Species).

LC50, *Oncorhynchus mykiss* (rainbow trout), semi-static test, 96 h, 2 mg / l

Acute toxicity to aquatic invertebrates

EC50, *Daphnia magna* (Big water flea), static test, 48 h, 1.8 mg / l

Acute toxicity to algae / aquatic plants

ErC50, *Scenedesmus capricornutum* (freshwater algae), static test, 72 h, growth rate inhibition, 11 mg / l

Toxicity to bacteria

IC50, bacteria, 18 h, > 42.6 mg / l

Chronic toxicity to aquatic invertebrates

MATC value (Maximum Acceptable Toxicant Level), *Daphnia magna* (Large water flea), semi-static Test, 21 d, number of offspring, 0.55 mg / l

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Acute fish toxicity

The product is toxic to aquatic organisms (LC50 / EC50 / IC50 between 1 and 10 mg / l for the most sensitive Species).

LC50, freshwater fish, 96 h, 2.54 mg / l

Acute toxicity to aquatic invertebrates

EC50, *Daphnia magna*, Static, 48 h, > 1,000 mg / l, OECD Test Guideline 202 or equivalent

Acute toxicity to algae / aquatic plants

EC50, *Selenastrum capricornutum* (green algae), static, 72 h, > 1.8 mg / l, OECD test guideline 201

Toxicity to bacteria

Activated sludge, static, 3 h, other, > 100 mg / l

Chronic toxicity to aquatic invertebrates

NOEC, *Daphnia magna*, semi-static test, 21 d, number of offspring, 0.3 mg / l

Oxirane, mono [(C12-14-alkyloxy) methyl] derivatives

Acute fish toxicity

The material is not harmful to aquatic organisms (LC50 / EC50 / IC50 / LL50 / EL50 > 100 mg / L for the most sensitive species).

LC50, *Oncorhynchus mykiss* (rainbow trout), static test, 96 h, > 5,000 mg / l

LC50, *Lepomis macrochirus* (blue sunfish), static test, 96 h, 1,800 mg / l, other guidelines

Acute toxicity to algae / aquatic plants

EbC50, *Pseudokirchneriella subcapitata* (green algae), 72 h, growth inhibition (reduction in Cell density), 843 mg / l

NOEC, *Pseudokirchneriella subcapitata* (green algae), 72 h, growth inhibition (reduction in Cell density), 500 mg / l

Toxicity to bacteria

EC50, activated sludge, static test, 3 h, breathing rate., > 100 mg / l

- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

### · Ecotoxicological effects:

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

Trade name: **HADALAN EBG 13E, Komp. B**

(Contd. of page 6)

- Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
  - **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations


- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
For disposal, local regulations are observed. Liquid component of a suitable incineration plant.  
Product can be disposed of together with household garbage after curing.

- **European waste catalogue**

|           |   |
|-----------|---|
| 08 01 11* | waste paint and varnish containing organic solvents or other dangerous substances |
|-----------|---|

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN3082
- **14.2 UN proper shipping name**
- **ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol), MARINE POLLUTANT
- **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)
- **14.3 Transport hazard class(es)**
- **ADR, IMDG, IATA**
- 
- **Class** 9 Miscellaneous dangerous substances and articles.
- **Label** 9
- **14.4 Packing group**
- **ADR** III
- **14.5 Environmental hazards:**
- **Marine pollutant:** Yes  
Symbol (fish and tree)
- **Special marking (ADR):** Symbol (fish and tree)

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

Trade name: **HADALAN EBG 13E, Komp. B**

(Contd. of page 7)

|  |  |
|--|--|
| · <b>Special marking (IATA):</b>   | Symbol (fish and tree)   |
| · <b>14.6 Special precautions for user</b>                                       | Warning: Miscellaneous dangerous substances and articles.  |
| · <b>Hazard identification number (Kemler code):</b>                             | 90   |
| · <b>Stowage Category</b>  | A  |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.  |
| · <b>Transport/Additional information:</b>                                       |  |
| · <b>ADR</b>   |  |
| · <b>Limited quantities (LQ)</b>   | 5L   |
| · <b>Excepted quantities (EQ)</b>  | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>Transport category</b>  | 3  |
| · <b>Tunnel restriction code</b>   | E  |
| · <b>UN "Model Regulation":</b>  | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III  |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements**  
200 t  
200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements**  
500 t  
500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3**
- **National regulations:**
- **Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.**
- **Other regulations, limitations and prohibitive regulations**  
For activities involving exposure to uncured epoxy resins and contact on the skin or respiratory are causing regular preventive medical examinations.  
This product is subject to the Directive 2004/42/EC.  
EU limit value of this product is in ready to use condition: 140 g / l (2010). The product contains: max. 1 g / l VOC.
- **15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.09.2020

Revision: 23.06.2020

**Trade name: HADALAN EBG 13E, Komp. B**

(Contd. of page 8)

*ICAO: International Civil Aviation Organisation**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Skin Sens. 1: Skin sensitisation – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

GB