

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 03.03.2021 Printing date 05.03.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: HADALAN Velo-Base, Komp. A
- · Article number: 41107A
- · UFI: 4X03-V0VK-900W-GPO9
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Solvent-free, 2-component, high-speed primer and coating, rigid, Comp. A

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Sievert Baustoffe GmbH & Co. KG

Mühleneschweg 6 D-49090 Osnabrück Tel.: +49 2363 5663-0

· Further information obtainable from:

Abteilung: Produktsicherheit Tel.. +49 2363 5663-0 info-hahne@sievert.de

· 1.4 Emergency telephone number:

Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen,

Tel.: 0551-19240

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

Aspartic acid, N,N-(methylenedi-4,1-cyclohexanediyl)bis-, tetraethyl ester Aspartic ester

· Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 05.03.2021 Revision: 03.03.2021

## Trade name: HADALAN Velo-Base, Komp. A

(Contd. of page 1)

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions

· Dangerous compone	ents:	
	Aspartic acid, N,N-(methylenedi-4,1-cyclohexanediyl)bis-, tetraethyl ester	50-100%
ELINCS: 429-270-1	♦ Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 152637-10-0	Aspartic ester	10-25%
	♦ Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 623-91-6	diethyl fumarate	1.0-5%
EINECS: 210-819-7	♠ Acute Tox. 4, H302	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide (CO2), foam, extinguishing powder, with larger fires also water spray.

- · For safety reasons unsuitable extinguishing agents: Full water jet.
- 5.2 Special hazards arising from the substance or mixture

*Nitrogen oxides (NOx)* 

In the event of fire, carbon dioxide, carbon monoxide, nitrogen oxides and traces of hydrogen cyanide are produced. Do not inhale explosion and fire gases.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

(Contd. on page 3)

Printing date 05.03.2021 Revision: 03.03.2021

Trade name: HADALAN Velo-Base, Komp. A

Mount respiratory protective device.

(Contd. of page 2)

## SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove people. Provide adequate ventilation.

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the unopened original container.
- · Information about storage in one common storage facility:

Keep away from food and luxury items. Wash hands before breaks and at the end of work and use protective skin ointment. Store work clothes separately. Change contaminated or saturated clothing immediately.

- · Further information about storage conditions: Protect from frost.
- · Storage class: (TRGS 510): 10: Flammable liquids
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

Aspartic acid, N, N'- (methylenedi-4,1-cyclohexanediyl) bis-, 1,1', 4,4'-tetraethyl ester Value type Exposure route

Worker (short-term value)

DNEL Inhalative, - local effects No hazard identified

DNEL Inhalative - systemic effects 112 mg/m³ air

Most critical endpoint: repeated dose toxicity orally

DNEL Dermal - local effects Medium risk (no limit value derived) Most critical endpoint: Sensitization (skin)

DNEL Dermal - systemic effects No hazard identified

Worker (long-term value)

DNEL Inhalation - local effects No hazard identified

DNEL Inhalative - systemic effects 28 mg/m³ air

(Contd. on page 4)

Printing date 05.03.2021 Revision: 03.03.2021

## Trade name: HADALAN Velo-Base, Komp. A

(Contd. of page 3)

Most critical endpoint: repeated dose toxicity orally

DNEL Dermal - local effects Medium risk (no limit value derived) Most critical endpoint: Sensitization (skin) DNEL Dermal - systemic effects 4 mg / kg body weight / day Most critical endpoint: repeated dose toxicity orally

Workers

DNEL eye contact - local effects No hazard identified

General population (short-term value)

DNEL Inhalation - local effects No hazard identified

DNEL Inhalative - systemic effects  $4.8 \text{ mg} / \text{m}^3$  air Most critical endpoint: toxicity after repeated administration orally

DNEL Dermal - local effects Medium risk (no limit value derived) Most critical endpoint: Sensitization (skin) DNEL Dermal - systemic effects 1.4 mg/kg body weight/day Most critical endpoint: repeated dose toxicity orally

DNEL Oral - systemic effects 1.4 mg / kg body weight / day Most critical endpoint: repeated dose toxicity orally

General population (long-term value)

DNEL Inhalation - local effects No hazard identified

DNEL Inhalative - systemic effects 4.8 mg/m³ air

Most critical endpoint: repeated dose toxicity orally

DNEL Dermal - local effects Medium risk (no limit value derived) Most critical endpoint: Sensitization (skin) DNEL Dermal - systemic effects 1.4 mg/kg body weight/day Most critical endpoint: repeated dose toxicity

DNEL Oral - systemic effects 1.4 mg / kg body weight / day Most critical endpoint: repeated dose toxicity orally

General population

DNEL eye contact - local effects No hazard identified

#### · PNECS

Aspartic acid, N, N'- (methylenedi-4,1-cyclohexanediyl) bis-, 1,1', 4,4'-tetraethyl ester

Fresh water 0.00013 mg / l Sea water 0.000013 mg / l

Water: Temporary release not applicable

Fresh water sediment 0.21 mg / kg dry weight

Marine sediment 0.02 mg / kg dry weight

Sewage treatment plant 31.1 mg/l

Soil 0.1 mg / kg dry weight

Air No hazard identified

Secondary poisoning Does not bioaccumulate

· Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

· Personal protective equipment:

#### · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

## · Respiratory protection:

Respiratory protection required at workplaces that are not adequately ventilated and when spraying

#### · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Suitable materials for protective gloves; EN 374:

*Multilayer glove - PE / EVAL / PE; Breakthrough time> = 480 min.* 

Recommendation: Dispose of contaminated gloves.

(Contd. on page 5)

Printing date 05.03.2021 Revision: 03.03.2021

Trade name: HADALAN Velo-Base, Komp. A

(Contd. of page 4)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

## SECTION 9: Physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Yellowish

Odour: Weak, characteristic
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

*Melting point/freezing point:* -2 °C

Initial boiling point and boiling range: Undetermined.

· Flash point: 100 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 350 °C

• **Decomposition temperature:** Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure at 20 °C: 2 hPa

Density at 20 °C: 1.07 g/cm³
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

**Dynamic at 20 °C:** 700-1,000 mPas **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reaction when used as intended.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 05.03.2021 Revision: 03.03.2021

Trade name: HADALAN Velo-Base, Komp. A

(Contd. of page 5)

#### · 10.6 Hazardous decomposition products:

No dangerous decomposition products if stored and handled properly.

## SECTION 11: Toxicological information

### · 11.1 Information on toxicological effects

Acute toxicity, oral

Aspartic acid, N, N'- (methylenedi-4,1-cyclohexanediyl) bis-, 1,1', 4,4'-tetraethyl ester

 $LD50 \ rat. > 2,000 \ mg / kg$ 

Method: Directive 67/548 / EEC, Annex V, B.1.

Toxicological studies on a comparable product.

Acute toxicity, dermal

Aspartic acid, N, N'- (methylenedi-4,1-cyclohexanediyl) bis-, 1,1', 4,4'-tetraethyl ester

 $LD50 \ rat:> 2,000 \ mg / kg$ 

Method: Directive 67/548 / EEC, Annex V, B.3.

Toxicological studies on a comparable product.

Acute toxicity, inhalation

Aspartic acid, N, N'- (methylenedi-4,1-cyclohexanediyl) bis-, 1,1', 4,4'-tetraethyl ester

LC50 rat, male / female: > 4,224 mg / l, 4 h

Test atmosphere: dust / mist

Method: OECD Test Guideline 403

Toxicological studies on a comparable product.

Assessment: The substance or mixture has no acute inhalation toxicity

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability

Aspartic acid, N, N'- (methylenedi-4,1-cyclohexanediyl) bis-, 1,1', 4,4'-tetraethyl ester

Biodegradation: 13%, 28 days, i.e. not easily degradable

Method: OECD Test Guideline 301 F

Ecotoxicological studies on a comparable product

Biodegradation: 0%, 28 d, i.e. not potentially degradable

Method: OECD Test Guideline 302 C Ecotoxicological studies on the product

### · 12.3 Bioaccumulative potential

Aspartic acid, N, N'- (methylenedi-4,1-cyclohexanediyl) bis-, 1,1', 4,4'-tetraethyl ester

Bioconcentration factor (BCF): 1.872

Species: calculated value.

The substance hydrolyzes rapidly in water.

An accumulation in aquatic organisms is not to be expected.

· 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

Printing date 05.03.2021 Revision: 03.03.2021

Trade name: HADALAN Velo-Base, Komp. A

(Contd. of page 6)

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	
· ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name	
· ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne	
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 8)

Printing date 05.03.2021 Revision: 03.03.2021

Trade name: HADALAN Velo-Base, Komp. A

(Contd. of page 7)

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · VOC (EU)

The product is subject to RL 2004/42 / EG.

The EU limit value for this product is in the ready-to-use state: 140 g / l (2010). The product contains in ready-to-use condition: max. 10 g / l VOC.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- GB