

Page 1/6

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.06.2020 Revision: 16.06.2020 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: INTRASIT DS2 54Z · Article number: 40121 · UFI: 2S20-C0V0-100C-04US · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Cement-bound sealing grout for exterior and interior sealing work • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Sievert Baustoffe GmbH & Co. KG Mühleneschweg 6 D-49090 Osnabrück Tel.: +49 2363 5663-0 • Further information obtainable from: Abteilung: Produktsicherheit Tel.. +49 2363 5663-0 info-hahne@sievert.de · 1.4 Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen, Tel.: 0551-19240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the CLP regulation. Hazard pictograms*



· Signal word Danger

 Hazard-determining components of labelling: Cement, portland, chemicals
Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.06.2020

Revision: 16.06.2020

Trade name: INTRASIT DS2 54Z

(Contd. of page 1)				
18 Causes serious eye damage.				
35 May cause respiratory irritation.				
cautionary statements				
61 Avoid breathing dust/fume/gas/mist/vapours/spray.				
<i>Wear protective gloves/protective clothing/eye protection/face protection.</i>				
02+P352 IF ON SKIN: Wash with plenty of soap and water.				
05+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if				
present and easy to do. Continue rinsing.				
2 Call a POISON CENTER/doctor if you feel unwell.				
<i>If skin irritation occurs: Get medical advice/attention.</i>				
· 2.3 Other hazards Product reacts with water alkaline.				
· Results of PBT and vPvB assessment				
• <i>PBT:</i> Not applicable.				

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals	25-50%
EINECS: 266-043-4 📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; STOT SE 3, H335	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air and to be sure call for a doctor.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

+ 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Not applicable, product is not flammable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Contact with the eyes and the skin.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

Page 3/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.06.2020

Revision: 16.06.2020

Trade name: INTRASIT DS2 54Z

See Section 13 for disposal information.

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid formation of dust.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Only in unopened original container.
- · Information about storage in one common storage facility: Store away from acids, food and animal feed.
- Further information about storage conditions: dry place
- Storage class: Storage category: 13 Non-hazardous solid brand.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- **Respiratory protection:** Use a dust mask if dust is generated. Dust mask P1.
- Leaflet ZH 1/134 BG
- Protection of hands:

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Protective gloves. Leaflet ZH 1/134 d commercial Federation. BG

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of PVC, rubber, nitrile rubber.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:
- When dust or splashes goggles. Leaflet ZH 1/134 d commercial Federation. BG

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.06.2020

Revision: 16.06.2020

Trade name: INTRASIT DS2 54Z

(Contd. of page 3)

9.1 Information on basic physical and ch General Information	nemical properties	
Appearance:		
Form:	Powder	
Colour:	Grey	
Odour:	Odourless	
pH-value at 20 °C:	11-13 (Suspension im Wasser)	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Density at 20 °C:	$1.4 g/cm^3$	
Solubility in / Miscibility with		
water:	dispersible	
Solvent content:		
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- Irritability
- · Respiratory or skin sensitisation
- As long as the expiration date of the product is not exceeded, a sensitizing effect is not expected.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*

· STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

⁻ GB

Page 5/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.06.2020

Revision: 16.06.2020

Trade name: INTRASIT DS2 54Z

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

17 01 01 concrete

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number ADR, ADN, IMDG, IATA	- Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	- Void	
14.3 Transport hazard class(es)	-	
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	- Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann. Marpol and the IBC Code	ex II of Not applicable.	
		(Contd. on page

Page 6/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.06.2020

Revision: 16.06.2020

Trade name: INTRASIT DS2 54Z

	(Contd. of page 5)
· Transport/Additional information:	
· ADR · Remarks:	Not hazardous according to RID / ADR, ADR / RID,

· UN "Model Regulation":

Not hazardous according to RID / ADR, ADR / RID, ADNR, IMDG, ICAO-TI / IATA

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations The product is chromate in accordance with TRGS 613 Leaflet of BG Chemie "M004" Irritant / corrosive substances note "". GISCODE: ZP 1
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3