

Page 1/7

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.09.2020

Revision: 02.09.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: INTRASIT SE-SB 10D · Article number: 40314 · UFI: CPH0-C0P9-N00H-5F87 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture Solvent-free, ready-to-use spore binder with a 3-phase active system. · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Sievert Baustoffe GmbH & Co. KG Mühleneschweg 6 D-49090 Osnabrück Tel.: +49 2363 5663-0 • Further information obtainable from: Abteilung: Produktsicherheit Tel.. +49 2363 5663-0 info-hahne@sievert.de · 1.4 Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttingen, Tel.: 0551-19240

## **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the CLP regulation. Hazard pictograms*



· Signal word Warning

- *Hazard-determining components of labelling: Kaliummethylsilantriolat*
- · Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- Precautionary statementsP264Wash thoroughly after handling.

(Contd. on page 2)

GB

Printing date 02.09.2020

Revision: 02.09.2020

<2.5%

Skin Corr. 1A, H314

#### Trade name: INTRASIT SE-SB 10D

	(Contd. of page 1)	
P280	Wear protective gloves / eye protection / face protection.	
P305+P351+P338	TF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
· 2.3 Other hazards	The product is alkaline.	
· Results of PBT and vPvB assessment		
• PBT: Not applicab	le.	
• <b>vPvB:</b> Not applicat	ble.	

#### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: aqueous solution of potassium silicate and polymers

· Dangerous components:

31795-24-1 Kaliummethylsilantriolat

• Additional information:

For the wording of the listed hazard phrases refer to section 16. GISCODE: BSW10

## **SECTION 4:** First aid measures

- 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product. Remove contaminated clothing immediately remove.

• After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Consult doctor in case of symptoms.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions. not applicable, product is not flammable Not applicable, product is not flammable.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters Fire-fighting measures must be agreed to surrounding.
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

(Contd. on page 3)

GB

Printing date 02.09.2020

Revision: 02.09.2020

#### Trade name: INTRASIT SE-SB 10D

- · 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/surface or ground water.
- $\cdot$  6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling When properly used no special measures required.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- *Information about storage in one common storage facility: Away from strong acids and food products separately.*
- Further information about storage conditions:
- Keep container tightly sealed.
- Protect from frost.
- Only in original container.
- Storage class: Storage class: 12 Non-brand hazardous liquids
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection: In airless spray respirator mask.
- Protection of hands:
- Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Alkali-resistant protective gloves e.g. rubber, nitrile or butyl rubber.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

(Contd. of page 2)

Printing date 02.09.2020

Revision: 02.09.2020

(Contd. of page 3)

#### Trade name: INTRASIT SE-SB 10D

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

# • Eye protection:

Tightly sealed goggles

Wear safety goggles.

• **Body protection:** Protective work clothing.

#### **SECTION 9: Physical and chemical properties** • 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Colour: white · Odour: *Characteristic* · Odour threshold: Not determined. · pH-value at 20 °C: <11.5 · Change in condition *Melting point/freezing point:* Undetermined. Initial boiling point and boiling range: 100 °C Not applicable. · Flash point: · Flammability (solid, gas): Not applicable. Not determined. · Decomposition temperature: • Auto-ignition temperature: Product is not selfigniting. Product does not present an explosion hazard. • Explosive properties: · Explosion limits: Lower: Not determined. Upper: Not determined. 23 hPa · Vapour pressure at 20 °C: · Density at 20 °C: 1.26 g/cm3 · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Fully miscible. water: · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Not determined. Dvnamic: Kinematic: Not determined.

 Solvent content:
 63.0 %

 Solids content:
 100.0 %

 9.2 Other information
 No further relevant information available.

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

GB

Printing date 02.09.2020

Revision: 02.09.2020

(Contd. of page 4)

Trade name: INTRASIT SE-SB 10D

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- *Reacts with acids. Corrodes aluminium.*
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- slightly irritating, does not require labeling
- Serious eye damage/irritation Causes serious eye irritation. slightly irritating, does not require labeling
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity* Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

#### Page 6/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.09.2020

Revision: 02.09.2020

(Contd. of page 5)

Trade name: INTRASIT SE-SB 10D

#### · European waste catalogue

08 04 16 aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15

· Uncleaned packaging:

- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

-	
Void	
-	
Void	
-	
Void	
-	
Void	
Not applicable.	
Not applicable.	
II of	
Not applicable.	
Not hazardous under transport regulations	
Void	
	- Void Void Void Not applicable. Not applicable. II of Not applicable. Not hazardous under transport regulations

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · VOC (EU) 0.0 g/l

· Relevant phrases

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H314 Causes severe skin burns and eye damage.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 7)

Printing date 02.09.2020

Revision: 02.09.2020

#### Trade name: INTRASIT SE-SB 10D

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 (Contd. of page 6)

GB