

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixtur	e and of the company/undertaking
1.1 Product identifier	
Trade name: INTRASIT SM 54Z	
Article number: 40406 UFI: 37S0-W0E7-M002-CGHW 1.2 Relevant identified uses of the substance or mixture and u No further relevant information available. Application of the substance / the mixture Plastic-modified pla	C C
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Sievert Baustoffe GmbH & Co. KG Mühleneschweg 6 D-49090 Osnabrück Tel.: +49 2363 5663-0	
Further information obtainable from: Abteilung: Produktsicherheit Tel +49 2363 5663-0 info-hahne@sievert.de 1.4 Emergency telephone number: Giftinformationszentrum Nord (GIZ Nord) Universität Göttinge Tel.: 0551-19240	n,
SECTION 2: Hazards identification	
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008	
GHS05 corrosion	

GHS07

Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Cement, portland, chemicals · Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.11.2020

Revision: 04.09.2020

Trade name: INTRASIT SM 54Z

	(Contd. of page 1)
H318 Causes ser	ious eye damage.
H335 May cause	respiratory irritation.
· Precautionary st	tatements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
· 2.3 Other hazard	ts Labeled with Xi occurs only upon contact with water (alkaline reaction).
· Results of PBT a	und vPvB assessment
· PBT: Not applied	
· · ·	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: A mixture of special cements, polymer powders, mineral aggregates and additives.

· Dangerous components:

CAS: 65997-15-1	Cement, portland, chemicals	25-50%
EINECS: 266-043-4	📀 Eye Dam. 1, H318; 🕕 Skin Irrit. 2, H315; STOT SE 3, H335	

• Additional information:

For the wording of the listed hazard phrases refer to section 16. Chromatarm nach TRGS 613

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing:* Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.
- Not applicable, product is not flammable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Contact with the eyes and the skin.

(Contd. on page 3)

GB

Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.11.2020

Revision: 04.09.2020

Trade name: INTRASIT SM 54Z

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up: (Contd. of page 2)

- **6.3 Methods and material for containment and cleaning up:** Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace. Avoid formation of dust.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Only in unopened original container.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed.

Dry place.

- Storage class: Storage category: 13 Non-hazardous solid brand.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (25-50%)

WEL Long-term value: $5 E mg / m^3$

DFG

14808-60-7 Quartz (SiO2) (25-50%)

WEL respirable fraction

· Additional information: The lists valid during the making were used as basis.

· Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. **Respiratory protection:** Use a dust mask if dust is generated. Dust mask P1. Leaflet ZH 1/134 BG **Protection of hands:** Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

^{· 8.2} Exposure controls

GB

Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.11.2020

Revision: 04.09.2020

Trade name: INTRASIT SM 54Z

(Contd. of page 3) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Leaflet ZH 1/134 d commercial Federation. BG

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Protective gloves made of PVC, rubber, nitrile rubber.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection:
- When dust or splashes: Goggles.

Leaflet ZH 1/134 d commercial Federation. BG

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and c General Information		
Appearance:		
Form:	Solid	
Colour:	Grey	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value (100 g/l) at 20 °C:	11-13	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	

GB

Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.11.2020

Revision: 04.09.2020

(Contd. of page 4)

Trade name: INTRASIT SM 54Z

· Solvent content:

Solids content:

• 9.2 Other information

100.0 % No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available. • 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation
- As long as the expiration date is not exceeded, a sensitizing effect is not expected.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage svstem.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.11.2020

Revision: 04.09.2020

Trade name: INTRASIT SM 54Z

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

17 01 01 concrete

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport informat	ion
14.1 UN-Number ADR, ADN, IMDG, IATA	- Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	- Void
14.3 Transport hazard class(es)	-
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	- Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	not hazardous under transport regulations
UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations GISCODE: ZP 1
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

(Contd. on page 7)

GB

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.11.2020

Revision: 04.09.2020

(Contd. of page 6)

Trade name: INTRASIT SM 54Z

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3